



AUDIO/VIDEO CONNECTORS SERIES

PLUG & JACK SERIES

YY 1001

2.5mm mono plug



YY 1008G

2.5mm mono plug, gold



YY 1015G

2.5mm stereo plug, gold



YY 1022

3.5mm mono plug



YY 1002

2.5mm mono plug



YY 1009

2.5mm stereo plug



YY 1016

3.5mm mono plug



YY 1023

3.5mm mono plug



YY 1003

2.5mm mono plug



YY 1010

2.5mm stereo plug



YY 1017

3.5mm mono plug



YY 1024

3.5mm stereo plug



YY 1004

2.5mm mono plug



YY 1011

2.5mm stereo plug



YY 1018

3.5mm mono plug



YY 1025

3.5mm stereo plug



YY 1005

2.5mm mono plug



YY 1012

2.5mm stereo plug



YY 1019

3.5mm mono plug



YY 1026

3.5mm stereo plug



YY 1006

2.5mm mono plug



YY 1013

2.5mm stereo plug



YY 1020G

3.5mm mono plug, gold



YY 1027G

3.5mm stereo plug, gold



YY 1007

2.5mm mono plug



YY 1014

2.5mm stereo plug



YY 1021

3.5mm mono plug



YY 1028

3.5mm stereo plug



AUDIO/VIDEO CONNECTORS SERIES

PLUG & JACK SERIES



YY 1029

3.5mm stereo plug



YY 1036-2

6.35mm mono plug



YY 1043G

6.35mm stereo plug metal,
W/spring gold



YY 1050G

6.35mm mono plug gold,
W/spring



YY 1030

3.5mm stereo plug



YY 1037

6.35mm mono plug metal
W/plastic protector



YY 1044

6.35mm mono plug metal,
W/spring



YY 1051G

6.35mm stereo plug gold,
W/spring



YY 1033

6.35mm mono plug



YY 1038

6.35mm stereo plug metal,
W/plastic protector



YY 1045

6.35mm stereo plug metal,
W/spring



YY 1052G

6.35mm mono plug gold,
W/spring



YY 1034

6.35mm stereo plug



YY 1039G

6.35mm mono plug metal,
W/spring gold



YY 1046

6.35mm mono plug metal,
W/spring



YY 1053G

6.35mm stereo plug gold,
W/spring



YY 1035

6.35mm mono plug
W/protector



YY 1040

6.35mm mono plug metal,
W/spring



YY 1047

6.35mm stereo plug metal,
W/spring



YY 1054G

6.35mm mono plug metal,
gold,W/spring



YY 1036

6.35mm stereo plug
W/protector



YY 1041G

6.35mm mono plug metal,
W/spring gold



YY 1048

6.35mm mono plug
W/spring



YY 1055G

6.35mm stereo plug metal
gold,W/spring



YY 1036-1

6.35mm mono plug



YY 1042

6.35mm stereo plug metal,
W/spring



YY 1049

6.35mm stereo plug
W/spring



YY 1056

6.35mm mono plug
angle type





AUDIO/VIDEO CONNECTORS SERIES

PLUG & JACK SERIES

YY 1057

6.35mm stereo plug
angle type



YY 1070-1

6.35mm mono plug



YY 1075

6.35mm stereo plug
gold tip



YY 1086

A:2.5mm mono jack
B:2.5mm stereo jack



YY 1058

6.35mm mono plug metal,
angle type



YY 1070-2

6.35mm mono plug



YY 1076

6.35mm mono plug
gold tip



YY 1087

A:2.5mm mono jack
B:2.5mm stereo jack



YY 1059

6.35mm stereo plug metal,
angle type



YY 1070

6.35mm mono plug



YY 1077

6.35mm stereo plug
gold tip



YY 1088

A:3.5mm mono jack
B:3.5mm stereo jack



YY 1060

6.35mm mono plug metal,
right angle



YY 1071

6.35mm stereo plug
gold tip



YY 1078

6.35mm mono plug
gold tip



YY 1089

A:3.5mm mono jack
B:3.5mm stereo jack



YY 1061

6.35mm stereo plug metal,
right angle



YY 1072

6.35mm mono plug
gold tip



YY 1079

6.35mm stereo plug
gold tip



YY 1090

A:3.5mm mono jack
B:3.5mm stereo jack



YY 1062

6.35mm mono plug
right angle



YY 1073

6.35mm stereo plug
gold tip



YY 1080G

6.35mm mono plug gold



YY 1091

A:3.5mm mono jack
B:3.5mm stereo jack



YY 1063

6.35mm stereo plug
right angle



YY 1074

6.35mm mono plug
gold tip



YY 1081G

6.35mm stereo plug gold



YY 1092

A:3.5mm mono jack
B:3.5mm stereo jack



AUDIO/VIDEO CONNECTORS SERIES

PLUG & JACK SERIES



YY 1093

A:6.35mm mono jack
B:6.35mm stereo jack



YY 1102

3.5mm stereo jack
open circuit



YY 1109

6.35mm stereo jack
open circuit



YY 1116

3.5mm stereo jack



YY 1094

A:6.35mm mono jack
B:6.35mm stereo jack



YY 1103

6.35mm mono jack
open circuit



YY 1110

6.35mm stereo jack
close circuit



YY 1117

6.35mm mono jack,
open circuit



YY 1095

A:6.35mm mono jack
metal W/spring
B:6.35mm stereo
jack metal
W/spring



YY 1104

6.35mm mono jack
close circuit



YY 1111

6.35mm mono jack
open circuit



YY 1118

6.35mm mono jack,
close circuit



YY 1096

A:6.35mm mono jack
metal W/spring
B:6.35mm stereo
jack metal
W/spring



YY 1105

6.35mm stereo jack
open circuit



YY 1112

6.35mm mono jack
close circuit



YY 1119

6.35mm stereo jack,
close circuit



YY 1097

A:6.35mm stereo jack
metal W/spring
B:6.35mm mono
jack metal
W/spring



YY 1106

6.35mm stereo jack
close circuit



YY 1113

6.35mm stereo jack
open circuit



YY 1120

6.35mm mono jack,
open circuit



YY 1100

A:2.5mm jack open circuit
B:2.5mm jack close circuit



YY 1107

6.35mm mono jack,
open circuit



YY 1114

6.35mm stereo jack
close circuit



YY 1121

6.35mm mono jack,
close circuit



YY 1101

A:3.5mm jack open circuit
B:3.5mm jack close circuit



YY 1108

6.35mm mono jack,
close circuit



YY 1115

A:2.5mm mono jack
B:3.5mm mono jack



YY 1122

6.35mm stereo jack,
open circuit





AUDIO/VIDEO CONNECTORS SERIES

PLUG & JACK SERIES

YY 1123

6.35mm stereo jack,
close circuit



YY 1161

6.35mm stereo jack
close circuit 4P



YY 1168

6.35mm stereo jack
9P



YY 1175

6.35mm mono jack
close circuit Entirely
closed 2P



YY 1155

6.35mm mono jack
A:Gold
B:Nickel 3P



YY 1162

6.35mm mono jack
close circuit 4P



YY 1169

6.35mm mono jack
open circuit metal
sleeve 3P



YY 1176

6.35mm stereo jack
open circuit Entirely
closed 2P



YY 1156

6.35mm mono jack
close circuit jumbo
nut 4P



YY 1163

6.35mm stereo jack,
3P



YY 1170

6.35mm mono jack
open circuit metal
sleeve 3P



YY 1177

6.35mm stereo jack
close circuit metal
sleeve 4P



YY 1157

6.35mm mono jack
open circuit 2P



YY 1164

6.35mm stereo jack,
7P



YY 1171

6.35 stereo jack
open circuit 3P



YY 1178

6.35mm mono jack
open circuit
Entirely closed 2P



YY 1158

6.35mm mono jack
close circuit 3P



YY 1165

6.35mm stereo jack,
9P



YY 1172

6.35 mono jack
open circuit 4P



YY 1179

6.35mm stereo jack
open circuit



YY 1159

6.35mm mono jack
close circuit
with nut 3P



YY 1166

6.35mm mono jack
close circuit 4P



YY 1173

6.35mm stereo jack
7P



YY 1180

6.35mm stereo jack
open circuit 7P



YY 1160

6.35mm stereo jack
open circuit 3P



YY 1167

6.35mm stereo jack,
7P



YY 1174

6.35mm stereo jack
open circuit 9P



AUDIO/VIDEO CONNECTORS SERIES

AUDIO ADAPTOR SERIES



YY 1201

A: 2.5mm mono plug to
3.5mm mono jack
B: 2.5mm mono plug to
3.5mm stereo jack



YY 1209

A: 3.5mm mono plug to
6.35mm mono jack
B: 3.5mm mono plug to
6.35mm stereo jack



YY 1216

6.35mm stereo plug to
6.35mm mono jack



YY 1224

6.35mm stereo plug to
RCA jack



YY 1202

A: 2.5mm stereo plug to
3.5mm mono jack
B: 2.5mm stereo plug to
3.5mm stereo jack



YY 1210

A: 3.5mm stereo plug to
6.35mm mono jack
B: 3.5mm stereo plug to
6.35mm stereo jack



YY 1217

6.35mm mono plug to
6.35mm stereo jack



YY 1227

9.5mm female plug to
3.5mm mono plug



YY 1203

A: 2.5mm mono plug to
6.35mm mono jack
B: 2.5mm mono plug to
6.35mm stereo jack



YY 1211

A: 3.5mm mono plug to
6.35mm mono jack
B: 3.5mm mono plug to
6.35mm stereo jack



YY 1218

6.35mm stereo plug to
6.35mm mono jack



YY 1228

9.5mm male plug to
3.5mm mono plug



YY 1205

A: 3.5mm mono plug to
2.5mm mono jack
B: 3.5mm mono plug to
2.5mm stereo jack



YY 1212

A: 3.5mm stereo plug to
6.35mm mono jack
B: 3.5mm stereo plug to
6.35mm stereo jack



YY 1219

2.5mm mono plug to
RCA jack



YY 1229

A: 3.5mm mono plug to
2 × 3.5mm mono jacks
B: 3.5mm mono plug to
2 × 3.5mm
stereo jacks



YY 1206

A: 3.5mm stereo plug to
2.5mm mono jack
B: 3.5mm stereo plug to
2.5mm stereo jack



YY 1213

A: 6.35mm mono plug to
3.5mm mono jack
B: 6.35mm mono plug to
3.5mm stereo jack



YY 1221

3.5mm mono plug to
RCA jack



YY 1230

A: 3.5mm stereo plug to
2 × 3.5mm mono jacks
B: 3.5mm stereo plug to
2 × 3.5mm
stereo jacks



YY 1207

3.5mm mono plug to
3.5mm stereo jack



YY 1214

A: 6.35mm stereo plug to
3.5mm mono jack
B: 6.35mm stereo plug to
3.5mm stereo jack



YY 1222

3.5mm stereo plug to
RCA jack



YY 1234

A: RCA plug to 2 × 3.5mm mono jacks
B: RCA plug to 2 × 3.5mm
stereo jacks



YY 1208

3.5mm stereo plug to
3.5mm mono jack



YY 1215

A: 6.35mm mono plug to
6.35mm mono jack
B: 6.35mm mono plug to
6.35mm stereo jack



YY 1223

6.35mm mono plug to
RCA jack



YY 1235

A: 3.5mm mono plug to
2 × 6.35mm mono jacks
B: 3.5mm mono plug to
2 × 6.35mm
stereo jacks





AUDIO/VIDEO CONNECTORS SERIES

AUDIO ADAPTOR SERIES

YY 1236

A: 3.5mm stereo plug to
2 × 6.35mm mono jacks
B: 3.5mm stereo plug to
2 × 6.35mm
stereo jacks



YY 1245

3.5mm stereo plug to
2 × RCA jacks



YY 1252

RCA plug to 2 × 6.35mm mono jack



YY 1262

A: RCA plug to 3.5mm mono jack
B: RCA plug to
3.5mm stereo jack



YY 1237

A: 6.35mm mono plug to
2 × 3.5mm mono jacks
B: 6.35mm mono plug to
2 × 3.5mm
stereo jacks



YY 1246

3.5mm mono plug to
2 × RCA plugs



YY 1256

3.5mm mono plug to
2 × RCA jacks



YY 1263

A: RCA plug to 6.35mm mono jack
B: RCA plug to 6.35mm stereo jack



YY 1238

A: 6.35mm stereo plug to
2 × 3.5mm mono jacks
B: 6.35mm stereo plug to
2 × 3.5mm
stereo jacks



YY 1247

3.5mm stereo plug to
2 × RCA plugs



YY 1257

3.5mm stereo plug to
2 × RCA jacks



YY1264

RCA plug to 2 × RCA jacks



YY 1239

A: 6.35mm mono plug to
2 × 6.35mm mono jacks
B: 6.35mm mono plug to
2 × 6.35mm
stereo jacks



YY 1248

6.35mm mono plug to
2 × RCA plugs



YY 1258

6.35mm mono plug to
2 × RCA jacks



YY1265

RCA plug to 2 × RCA plugs



YY 1240

A: 6.35mm stereo plug to
2 × 6.35mm mono jacks
B: 6.35mm stereo plug to
2 × 6.35mm
stereo jacks



YY 1249

6.35mm stereo plug to
2 × RCA plugs



YY 1259

6.35mm stereo plug to
2 × RCA jacks



YY1266

RCA jack to 2 × RCA jacks



YY 1243

3.5mm mono plug 300 OHM
input/75 OHM output



YY 1250

6.35mm mono plug to
2 × RCA jack



YY 1260

RCA plug to 2 × RCA jacks



YY1267

RCA jack to 2 × RCA plugs



YY 1244

A: 2.5mm mono plug to 2 × RCA jacks
B: 3.5mm mono plug to
2 × RCA jacks



YY 1251

6.35mm stereo plug to
2 × RCA jack



YY 1261

RCA jack to 2 × RCA jacks



YY1268

RCA plug to RCA plug
short



AUDIO/VIDEO CONNECTORS SERIES

AUDIO ADAPTOR SERIES



YY1269

RCA plug to RCA plug
long



YY1277

A: 6.35mm mono jack to
6.35mm mono jack
B: 6.35mm stereo jack to
6.35mm stereo jack



YY1285G

A: 3.5mm stereo plug to
6.35mm mono jack
B: 3.5mm stereo plug to
6.35mm stereo
jack gold



YY1292

3.5mm mono plug to
RCA jack



YY1271

RCA jack to RCA jack
short



YY1279

A: 2.5mm mono plug to
3.5mm mono jack
B: 2.5mm mono plug to
3.5mm stereo jack



YY1286

A: 6.35mm mono plug to
3.5mm mono jack
B: 6.35mm mono plug to
3.5mm stereo jack



YY1293

3.5mm stereo plug to
RCA jack



YY1272

RCA jack to RCA jack
long



YY1280

3.5mm mono plug to
3.5mm stereo jack



YY1287

A: 6.35mm stereo plug to
3.5mm mono jack
B: 6.35mm stereo plug to
3.5mm stereo jack



YY1294

3.5mm mono plug to
RCA jack



YY1273

2RCA jacks to 2RCA jacks



YY1281

3.5mm stereo plug to
3.5mm mono jack



YY1288

A: 6.35mm mono plug to
3.5mm mono jack
B: 6.35mm mono plug to
3.5mm stereo jack



YY1295

3.5mm stereo plug to
RCA jack



YY1274

3RCA jacks to
3RCA jacks



YY1282

A: 3.5mm mono plug to
6.35mm mono jack
B: 3.5mm mono plug to
6.35mm stereo jack



YY1289

A: 6.35mm stereo plug to
3.5mm mono jack
B: 6.35mm stereo plug to
3.5mm stereo jack



YY1296

6.35mm mono plug to
RCA jack



YY1275

2RCA jacks and S-VHS to
2RCA jacks and S-VHS



YY1283

A: 3.5mm stereo plug to
6.35mm mono jack
B: 3.5mm stereo plug to
6.35mm stereo jack



YY1290

6.35mm mono plug to
6.35mm stereo jack



YY1297

6.35mm stereo plug to
RCA jack



YY1276

A: 3.5mm mono jack to
3.5mm mono jack
B: 3.5mm stereo jack to
3.5mm stereo jack



YY1284G

A: 3.5mm mono plug to
6.35mm mono jack
B: 3.5mm mono plug to
6.35mm stereo jack
gold



YY1291

6.35mm stereo plug to
6.3mm mono jack



YY1298

6.35mm mono plug to
RCA jack





AUDIO/VIDEO CONNECTORS SERIES

AUDIO ADAPTOR SERIES

YY1299

6.35mm stereo plug to
RCA jack



YY1306

6.35mm mono plug to
6.35mm mono plug



YY1316

A: 6.35mm mono jack to
6.35mm mono jack
B: 6.35mm stereo jack to
6.35mm stereo jack



YY1300

3.5mm mono plug to
RCA plug



YY1307

RCA plug to RCA plug



YY1317

A: 6.35mm mono jack to
6.35mm mono jack
B: 6.35mm stereo jack to
6.35mm stereo jack



YY1301

3.5mm stereo plug to
RCA plug



YY1308

RCA jack to RCA jack, metal

A: nickel

B: gold



YY1318

3.5mm mono plug



YY1302

6.35mm mono plug to
RCA plug



YY1310

A: RCA plug to 3.5mm mono jack
B: RCA plug to 3.5mm
stereo jack



YY1303

6.35mm stereo plug to
RCA plug



YY1311

A: RCA plug to 6.35mm mono jack
B: RCA plug to 6.35mm
stereo jack



YY1304

3.5mm mono plug to
3.5mm mono plug



YY1312

RCA plug to F jack



YY1305

6.35mm mono plug to
3.5mm mono plug



YY1314

RCA plug



AUDIO/VIDEO CONNECTORS SERIES

DC PLUG & JACK SERIES



YY 1401

A:DC plug 1.0 × 3.8 × 9.0mm
B:DC plug 1.4 × 3.5 × 9.0mm



YY 1408

DC plug 0.7 × 2.5mm
W/ plastic handle



YY 1424

A:DC chassis jack 2.1 × 5.5
B:DC chassis jack 2.5 × 5.5



YY 1439

A:2 pin DIN plug, solder type
B:2 pin DIN plug, screw type



YY 1402

A:DC plug 1.0 × 3.8 × 9.0mm
B:DC plug 1.4 × 3.5 × 9.0mm
W/ cable protector



YY 1412

A:DC plug 3.1 × 6.3 × 9.0mm
B:DC plug 3.1 × 6.3 × 14.0mm



YY 1425

DC plug 0.7 × 2.5 × 9.5mm
plastic handle



YY 1440

A:2 pin DIN jack, solder type
B:2 pin DIN jack, screw type



YY 1403

A:DC plug 2.1 × 5.5 × 9.0mm
B:DC plug 2.5 × 5.5 × 9.0mm



YY 1413

A:DC plug 3.1 × 6.3 × 9.0mm
B:DC plug 3.1 × 6.3 × 14.0mm
W/ cable protector



YY 1426

DC plug 1.7 × 4.0 × 9.5mm
plastic handle



YY 1441

2 pin DIN plug, screw type
W/cable protector



YY 1404

A:DC plug 2.1 × 5.5 × 9.0mm
B:DC plug 2.5 × 5.5 × 9.0mm
W/ cable protector



YY 1418

P.C.B. layout
A:DC jack 2.1 × 5.5
B:DC jack 2.5 × 5.5



YY 1427

DC plug
A:2.1 × 5.5mm
B:2.5 × 5.5mm



YY 1442

2 pin DIN socket screw type
W/cable protector



YY 1405

A:DC plug 2.1 × 5.5 × 14.0mm
B:DC plug 2.5 × 5.5 × 14.0mm



YY 1420

A:DC jack 2.1 × 5.5
B:DC jack 2.5 × 5.5



YY 1428

DC plug 1.4 × 3.4mm



YY 1443

2 pin DIN jack
panel mount



YY 1406

A:DC plug 2.1 × 5.5 × 14.0mm
B:DC plug 2.5 × 5.5 × 14.0mm
W/ cable protector



YY 1421

A:DC jack 2.1 × 5.5
B:DC jack 2.5 × 5.5



YY 1435

DC chassis jack plastic handle
O.D.2.1mm
YY 1435(A)
DC chassis jack plastic handle
O.D.2.5mm



YY 1447

2 pin DIN plug, 180°



YY 1407

DC plug 0.7 × 2.5 × 9mm



YY 1422

A:3.5mm mono jack
B:3.5mm stereo jack



YY 1438

I.D. 2.1mm DC inline jack

YY 1438(A)

I.D. 2.5mm DC inline jack



YY 1448

2 pin DIN plug, 90°





AUDIO/VIDEO CONNECTORS SERIES

RCA PLUG & JACK SERIES

YY 1501

RCA plug



YY 1508

RCA jack



YY 1515

RCA plug, metal
W/spring
A)nickel
B)gold



YY 1530

RCA plug
A:gold tip nickel body
B:gold



YY 1502

RCA jack



YY 1509

RCA plug, metal, W/cable protector



YY 1516

RCA jack, metal
W/spring
A)nickel
B)gold



YY 1531

RCA jack
A:gold tip nickel body
B:gold



YY 1503

RCA plug



YY 1510

RCA jack, metal, W/cable protector



YY 1517

RCA plug, metal, gold
W/spring



YY 1532

RCA plug
A:gold tip nickel body
B:gold



YY 1504

RCA jack



YY 1511

RCA plug, metal
W/spring
A)nickel
B)gold



YY 1518

RCA jack, metal, gold
W/spring



YY 1553

RCA plug To RCA jack
right angle
gold



YY 1505

RCA plug W/cable protector



YY 1512

RCA jack, metal, W/spring
A)nickel
B)gold



YY 1519

RCA plug, metal, gold
W/spring



YY 1554

RCA plug right angle
gold



YY 1506

RCA jack W/cable protector



YY 1513

RCA jack, metal, W/spring
A)nickel
B)gold



YY 1520

RCA jack, metal, gold
W/spring



YY 1555

RCA plug To 2RCA jacks
gold



YY 1507

RCA plug



YY 1514

RCA jack, metal
W/spring
A)nickel
B)gold



YY 1529

RCA plug
gold tip nickel body



YY 1556

RCA plug To 2RCA jacks
gold



AUDIO/VIDEO CONNECTORS SERIES

RCA PLUG & JACK SERIES



YY 1557

RCA jack ,panel mounted
A:nickel
B:gold



YY 1571



YY 1591



YY 1599-20



YY 1558

RCA chassis socket,
gold



YY 1572



YY 1595



YY 1599-21



YY 1559

RCA jack to 2xRCA plug



YY 1573



YY 1598



YY 1599-22



YY 1560

3.5mm mono plug to
RCA jack



YY 1574



YY 1599-1



YY 1599-23



YY 1565



YY 1585



YY 1599-8



YY 1566



YY 1586



YY 1599-14



YY 1570



YY 1590



YY 1599-15





AUDIO/VIDEO CONNECTORS SERIES

BANANA PLUG & JACK SERIES

YY 1601

Banana plug
A:nickel
B:gold



YY 1609

Banana plug
A:nickel
B:gold



YY 1621

Banana jack

YY 1622

Banana jack



YY 1632

Banana plug



YY 1603

Banana plug
(R/B/Y/B/G)
A:nickel
B:gold



YY 1611

Banana plug
A:nickel
B:gold



YY 1625

Banana plug



YY 1633

Banana plug



YY 1604

Banana plug
A:nickel
B:gold



YY 1612

Banana plug
A:nickel
B:gold



YY 1626

Banana plug



YY 1634

Banana plug



YY 1605

Banana plug
A:nickel
B:gold



YY 1613

Banana plug



YY 1628

Banana plug



YY 1635

Dual-banana plug



YY 1606

Banana plug
A:nickel
B:gold



YY 1614

Banana plug



YY 1629

Banana plug



YY 1636

Dual-banana plug



YY 1607

Banana plug
A:nickel
B:gold



YY 1615

Banana plug
A:nickel
B:gold



YY 1630

Banana plug



YY 1638

Dual-banana plug



YY 1608

Banana plug
A:nickel
B:gold



YY 1619

Banana jack

YY 1620G

Banana jack
Gold



YY 1631

Banana plug



YY 1639

Dual-banana plug



AUDIO/VIDEO CONNECTORS SERIES

CLIP SERIES



YY 1701

Alligator clip length: 27mm (small size)
Clip length with boot: 40mm
Color: black, red



YY 1708

Alligator clip, metal W/screw
Length: 50mm



YY 1717

Battery clip 30A
Length: 75mm
Color: red, black, plastic



YY 1723

Battery clip 5A, W/boot
Length: 43mm
Color: black, red



YY 1702

Alligator clip length: 32mm
(medium size)
Clip length with boot: 46mm
Color: black, red



YY 1709

Alligator clip, W/screw
Length: 50mm
Color: black, red



YY 1718

Battery clip 50A
Length: 100mm
Color: black, red



YY 1726

Battery clip 10A, W/boot
Length: 54mm
Color: black, red



YY 1703

Alligator clip length: 44mm
(large size)
Clip length with boot: 55mm
Color: black, red



YY 1711

Battery clip 5A
Length: 55mm
Color: black, red



YY 1719

Battery clip 100A
Length: 105mm
Color: black, red




YY 1727

Battery clip 20A, W/boot
Length: 65mm
Color: black, red



YY 1704

Alligator clip
Length: 51mm
Color: black, red



YY 1712

Battery clip 10A
Length: 50mm
Color: black, red



YY 1720-1

Battery clip 200A
Length: 120mm
Molding boot
Color: black, red



YY 1728

Battery clip 30A, W/boot
Length: 71mm
Color: black, red



YY 1705

Alligator clip
Length: 35mm
Color: black, red



YY 1713

Battery clip 15A
Length: 71mm
Color: black, red



YY 1720-2

Battery clip 300A
Length: 135mm
Molding boot
Color: black, red



YY 1729

Battery clip 50A, W/ boot
Length: 75mm
Color: black, red



YY 1706

Alligator clip, W/screw
Length: 44mm/66mm
Color: black, red



YY 1714

Battery clip 20A
Length: 73mm
Color: black, red




YY 1720-3

Battery clip 500A
Length: 150mm
Molding boot
Color: black, red



YY 1729-1

Battery clip 100A, W/ boot
Length: 108mm
Color: black, red



YY 1707

Alligator clip, W/boot
Length: 55mm
Color: black, red



YY 1715

Battery clip 30A
Length: 75mm
Color: black, red



YY 1720-4

Battery clip 500A
Length: 150mm
Molding boot
Color: black, red



YY 1730

Battery clips to DC plugs, cross type
(W/wire)
Color: black, red





AUDIO/VIDEO CONNECTORS SERIES

CLIP SERIES

YY 1731

Battery clips to DC plug W/wire
Color: black ,red
A: 2.1mm/5.5mm
B: 2.5mm/5.5mm



YY 1739

Test lead set 6 pairs large alligator clips
W/6 wires
(6 colors)



YY 1751

Length: 103mm
Material: steel,nickel
(zinc) plated
Color: R/B



YY 1758

Length: 162mm
Material: steel,nickel
(copper) plated/ABS
Color: R/B
Rating:



YY 1732

Battery clips to Auto cigarette
lighter plug
W/wire
color:black ,red



YY 1740

Battery cord 3A fuse to 2.5mm DC plug
black and
red



YY 1752

Length: 159mm
Material: steel,nickel
(zinc) plated
Color: R/B



YY 1759

Length: 189mm
Material: nylon plated
Color: R/B



YY 1733

Battery clips to battery clips W/wire
color: black ,red




YY 1741

Battery cord 3A fuse to
3.5mm mono plug



YY 1753

Length: 100mm
Material: steel,nickel
(copper) plated
Color: R/B
Rating:10A



YY 1760

Length: 81mm
Material: stainless/ABS(nylon)
Color: R/B
Rating:50A



YY 1734

Battery clips to battery clips
W/wire




YY 1742

Battery cord 3A fuse to
cross DC plug




YY 1754

Length: 95mm
Material: steel,nickel
(copper,zinc) plated
Color: R/B
Rating:80A



YY 1761

Length: 68mm
Material: steel,nickel(copper)plated
Color: R/B
Rating:30A



YY 1736

Jumper test lead set
10 pairs small alligator clip
W/10 wires
(5 colors)




YY 1743

Battery cord 3A fuse to 2.5mm DC plug
black and white



YY 1755

Length: 67mm
Material: steel,nickel
(copper,zinc) plated
Color: R/B
Rating:40A



YY 1762

Length: 85mm
Material: stainless/nylon
Color: R/B
Rating:1000V,30A



YY 1737

Jumper test lead set 10 pairs
medium alligator clips
W/10 wires
(5 colors)



YY 1744

Battery cord 3A fuse to
RCA plug



YY 1756

Length: 122mm
Material: steel,nickel
(copper) plated
Color: R/B
Rating:200A



YY 1763

Length: 70mm
Material: steel,nickel(copper)
plated/ABS
Color: R/B
Rating: 20A



YY 1738

Jumper test lead set 5 pairs
large alligator clips
W/5 wires
(5 colors)



YY 1750

Length: 78mm
Material: steel,nickel(copper) plated
Color: R/B
Rating: 50A



YY 1757

Length: 152mm
Material: steel,nickel
(copper) plated
Color: R/B
Rating:400A



YY 1764

Length: 100mm
Material: steel,nickel(copper)plated
Color: R/B
Rating: 10A



AUDIO/VIDEO CONNECTORS SERIES

CLIP SERIES



YY 1765

Length: 90mm
Material: steel,gold plated/nylon
Color: R/B
Rating:



YY 1772

Battery clips to terminal or battery clip
FC-0044 alligator clip
0.5m long wire
Color: B/R



YY 1779

Battery clips to battery clip
2xalligator clip
0.5m long wire
Color: B/R



YY 1786

Cable crimper
Color:yellow,black,blue,gray,red,ivory



YY 1766

Length: 42mm
Material: steel,silver(gold) plated/nylon
Color: R/B
Rating: 10A



YY 1773

Battery clips to terminal or battery clip
FC-0033 alligator clip
0.5m long wire
Color: B/R



YY 1780



YY 1767

Length: 52mm
Material: copper/nylon
Color: R/B
Rating: 10A



YY 1774

Battery clips to terminal or battery clip
FC-0042 alligator clip
0.5m long wire
Color: B/R



YY 1781

8FT
100A



YY 1768

Length: 89mm
Material: steel,nickel
(zinc,copper)plated
Color: R/B
Rating: 90A



YY 1775

Battery clips to terminal or battery clip
FC-0043 alligator clip
0.5m long wire
Color: B/R



YY 1782

8FT
120A



YY 1769

Battery clips to cigarette jack
2xbattery clips
1.2m long wire
Color: B/R



YY 1776

Battery clips to terminal or battery clip
FC-0032 alligator clip
0.5m long wire
Color: B/R



YY 1783

8FT
150A



YY 1770

Battery clips to banana plug
Alligator clip
1.2m long wire
Color: B/R



YY 1777

Battery clips to terminal or battery clip
FC-0040 alligator clip
0.5m long wire
Color: B/R



YY 1784

8FT
200A



YY 1771

Battery clips with wire
Alligator clip
1m long wire
Color: B/R/B/Y/W



YY 1778

Battery clips to terminal or battery clip
Alligator clip
0.5m long wire
Color: B/R



YY 1785

3M 300A
Clip:Molding boot





AUDIO/VIDEO CONNECTORS SERIES

CIGARETTE PLUG & JACK SERIES

YY 1801
Auto cigarette plug



YY 1808
Auto cigarette plug



YY 1817
Auto cigarette plug to
3 x auto cigarette
inline socket
L:20mm



YY 1824
Car plug to DC plug
W/coil wire



YY 1802
Auto cigarette plug



YY 1809
Auto cigarette plug with fuse



YY 1818
Auto cigarette plug to
2 x auto cigarette
inline socket
L:20mm



YY 1825
Car plug to DC plug
W/coil wire



YY 1803
Auto cigarette plug



YY 1810
Auto cigarette plug with fuse



YY 1819
Auto cigarette plug to
2 x auto cigarette
inline socket
L:20mm



YY 1830
Car plug to 2 power clips
W/wire



YY 1804
Auto cigarette plug with fuse



YY 1811
Auto cigarette plug



YY 1820
Auto cigarette plug to
2 x auto cigarette
inline socket L:25mm



YY 1831
Car plug to car socket
W/wire



YY 1805
Auto cigarette plug W/O fuse



YY 1814
Auto cigarette plug socket



YY 1821
Auto cigarette plug to
2 x auto cigarette
line socket L:25mm



YY 1832
Car plug to
car socket
W/wire



YY 1806
Auto cigarette plug with fuse



YY 1815
Auto cigarette plug socket



YY 1822
DC plug to auto
cigarette socket
L:4FT 6FT



YY 1833
Car plug to
car socket
W/wire



YY 1807
Auto cigarette plug



YY 1816
Auto cigarette plug to 2 x auto cigarette
inline socket L:20mm



YY 1823
DC plug to auto cigarette
plug with fuse
L:4FT 6FT



YY 1834



AUDIO/VIDEO CONNECTORS SERIES

POWER PLUG & JACK SERIES



YY 1923

3P AC power plug



YY 1929

2P flat AC plug to 2P round AC jack



YY 1935

2P round AC plug to 2P AC jack



YY 1946

2P round AC power jack



YY 1924

3P AC power jack



YY 1930

2P flat AC plug to 2P AC jack



YY 1936

2P round AC plug to 2P flat AC jack



YY 1948

2P AC round plug to 3 × AC jack



YY 1925

3P AC power plug



YY 1931

2P flat AC plug to 2P round AC jack



YY 1937

2P round AC plug to 2P AC jack



YY 1950

2P flat AC plug to 3P AC power jack



YY 1926

3P AC power jack



YY 1932

2P flat AC plug to 2P AC jack



YY 1941

2P flat AC plug to 2P AC jack



YY 1952

2P AC flat plug to 3 × AC jack



YY 1926-1



YY 1932-1

2P flat AC plug to 2P AC jack
Assembly Type



YY 1942

220V to 110V AC adaptor(4mm) with protect case



YY 1953

AC power plug and jack adaptor



YY 1927

110V to 110V AC adaptor (4mm)



YY 1933

2P round AC plug to 2P flat AC jack



YY 1943

2P round AC plug to 2P AC jack



YY 1954

2P AC flat plug to multi usage jack



YY 1928

2P AC power plug with protect case




YY 1934

220V to 110V/220V AC adaptor (4mm)



YY 1945

2P round AC power plug



YY 1955

3P AC flat plug to multi usage jack





AUDIO/VIDEO CONNECTORS SERIES

POWER PLUG & JACK SERIES

YY 1956

2 P AC round plug to
multi usage jack



YY-1971



YY-1978



YY-1985



YY 1960

2 P round AC plug to
2 PAC jack



YY-1972



YY-1979



YY-1986



YY 1961

2 P round AC plug to
3 PAC jack



YY-1973



YY-1980



YY-1987



YY 1962

2 P round AC plug to
2 PAC jack



YY-1974



YY-1981



YY-1988



YY 1963

2 P round AC plug to
2 PAC jack



YY-1975



YY-1982



YY-1989



YY 1964

Turkey AC plug



YY-1976



YY-1983



YY-1990



YY-1970

4PCS/BLISTER



YY-1977



YY-1984



YY-1991



AUDIO/VIDEO CONNECTORS SERIES

POWER PLUG & JACK SERIES



YY-1992



YY-1993



YY-1994



YY-1995



YY-1996



YY-1997





AUDIO/VIDEO CONNECTORS SERIES

BINDING POST SERIES

YY 2001



YY 2008G



YY 2015



YY 2023



YY 2002



YY 2009G



YY 2016



YY 2024



YY 2003G



YY 2010G



YY 2017



YY 2025



YY 2004G



YY2011G



YY 2018



YY 2026



YY 2005G



YY 2012G



YY 2019



YY 2027



YY 2006G



YY 2013G



YY 2020



YY 2028



YY 2007G



YY 2014G



YY 2021



YY 2029



AUDIO/VIDEO CONNECTORS SERIES

BINDING POST SERIES



YY 2030




YY 2045



YY 2053



YY 2031



YY 2046



YY 2040



YY 2047



YY 2041



YY 2048



YY 2042



YY 2049



YY 2043



YY 2051



YY 2044



YY 2052





AUDIO/VIDEO CONNECTORS SERIES

TERMINAL BOARD SERIES

YY 2101

1P RCA jack terminal board
Φ 25mm



YY 2108

5P RCA jack terminal board
25mm × 90mm



YY 2115

4P banana jack terminal
board screw type
turn terminals



YY 2123

4P push type speaker
terminal board
24mm × 70mm



YY 2102

1P RCA jack terminal board
15mm × 30mm



YY 2109

6P RCA jack terminal board
27mm × 92mm



YY 2116

4P banana jack terminal
board screw type
turn terminals



YY 2124

2P push type speaker
terminal board



YY 2103

2P RCA jack terminal board
20mm × 52mm



YY 2110

6P RCA jack terminal board
36mm × 59mm



YY 2117

4P banana jack terminal
board screw type
turn terminals



YY 2125

4P push type speaker
terminal board
30mm × 58mm



YY 2104

2P RCA jack terminal board
18mm × 55mm



YY 2111

8P RCA jack terminal board
36mm × 67mm



YY 2118

2P push type
speaker terminal
11mm × 49mm



YY 2126

4P push type speaker
terminal board
20mm × 58mm



YY 2105

3P RCA jack terminal board
22mm × 60mm



YY 2112

10P RCA jack terminal board
38mm × 81mm



YY 2120

2P push type speaker
terminal board
21mm × 52mm



YY 2127

8P push type speaker
terminal board
30mm × 58mm



YY 2106

4P RCA jack terminal board
25mm × 52mm



YY 2113

12P RCA jack terminal board
38mm × 95mm



YY 2121

2P push type speaker
terminal board
24mm × 53mm



YY 2128

2P push type speaker
terminal board
Φ 55mm



YY 2107

4P RCA jack terminal board
25mm × 75mm



YY 2114

2P banana jack terminal
board screw type
turn terminals



YY 2122

4P push type speaker
terminal board
19mm × 63mm



YY 2129

2P push type speaker
terminal board
Φ 65mm



AUDIO/VIDEO CONNECTORS SERIES

TERMINAL BOARD SERIES



YY 2130

2P push type speaker
terminal board
Φ 75mm



YY 2138

2P push type speaker terminal board
79mmx93mm



YY2146

2P push type speaker
terminal
42mm x 42mm



YY2153

2P push type speaker
terminal
52mm x 21mm



YY 2131

2P push type speaker
terminal board
42mm X 42mm



YY 2140

Terminal board
W/ 2 X 6.35mm socket



YY2147

2P push type speaker
terminal
65mm x 55mm



YY2154

2P push type speaker terminal
36mm x 19mm
YY2154-1
35mm x 21mm



YY 2133

2P push type speaker
terminal board
57mm X 57mm



YY 2141

8P speaker terminal board
100mm X 140mm



YY2148

2P push type speaker
terminal
72mm x 50mm



YY2155

4P push type speaker
terminal



YY 2134

2P speaker terminal board
W/plastic binding post
A:Φ 75mm
B:Φ 105mm



YY 2142

2P speaker terminal board
W/plastic binding post
79mm X 93mm



YY2149

2P push type speaker
terminal
93mm x 79mm



YY2156

4P push type speaker
terminal



YY 2135

2P speaker terminal board
W/metal binding post
A:Φ 75mm
B:Φ 110mm



YY 2143

2P speaker terminal board
W/metal binding post
92mm X 78mm



YY2150

2P push type speaker
terminal
90mm x 60mm



YY2157

4P push type speaker
terminal



YY 2136

2P push type speaker
terminal board
65mm X 80mm



YY 2144

4P speaker terminal board
W/plastic binding post
95mm X 122mm



YY2151

2P push type speaker
terminal
40mm x 20mm



YY2159

4P push type speaker
terminal



YY 2137

2P push type speaker terminal board
60mmx43mm



YY2145

2P push type speaker
terminal
57mm x 57mm



YY2152

2P push type speaker terminal
46mm x 22mm



YY2160

4P push type speaker terminal
73mm x 45mm





AUDIO/VIDEO CONNECTORS SERIES

BATTERY HOLDER & CLIP SERIES

YY 2201

1P 17 × 58mm



YY 2208

3P 30 × 30 × 58mm
A:soldered lug
B:15cm wire



YY 2221

9V battery clip, T type



YY 2202

1P 34 × 68mm



YY 2209

4P 30 × 30 × 58mm
A:soldered lug
B:battery clip
C:15cm wire



YY 2222

9V battery clip, T type




YY 2203

2P 66 × 68mm, W/15 cm wire



YY 2210

4P 58x58mm
A:soldered lug
B:battery clip
C:15cm wire



YY 2223

9V battery clip, T type



YY 2204

2P 30 × 58mm
A:soldered lug
B:battery clip
C:15cm wire



YY 2211

4p 25x18x107mm
A:soldered lug
B:battery clip
C:15cm wire



YY 2224(A)

9V battery clip, T type



YY 2205

2P 30mm × 58mm
A:soldered lug
B:battery clip
C:15cm wire



YY 2212

6P 30x48x58mm
A:soldered lug
B:battery clip
C:15cm wire



YY 2224(B)

9V battery clip, T type



YY 2206

2P 30 × 58mm
A:soldered lug
B:battery clip
C:15cm wire



YY 2213

8P 30 × 58 × 58mm
A:soldered lug
B:battery clip
C:15cm wire



YY 2207

3P 46mm × 58mm
A:soldered lug
B:battery clip
C:15cm wire



YY 2220

9V battery clip, T type




AUDIO/VIDEO CONNECTORS SERIES


COMPUTER PLUG & JACK SERIES




YY 2301
DIN plug (3P-8P)




YY 2302
DIN jack (3P-8P)



YY 2303
Mini DIN plug (3P-8P)



YY 2304
Mini DIN jack (3P-8P)



YY 2308
S-video mini 4P adaptor
A: male to female
B: female to female



YY 2314
Mini 4PIN male gold



YY 2309
S-video adaptor
A: male to female
B: female to female



YY 2315
DIN chassis socket (3P-8P)



YY 2311
9 pin DIN socket





AUDIO/VIDEO CONNECTORS SERIES

TV CONNECTOR SERIES

YY 2401

9.5mm TV plug
A:W/screw
B:W/O screw



YY 2408

9.5mm TV jack



YY 2415

9.5mm TV plug, plastic handle
nickel plated

YY 2416

9.5mm TV jack,
plastic handle
nickel plated



YY 2422

9.5mm TV jack



YY 2402

9.5mm TV jack
A:W/screw
B:W/O screw



YY 2409

9.5mm TV plug



YY 2416-1

9.5mm TV plug
A:Golden plated
B:Nickel plated



YY 2423

Coaxial connector



YY 2403

9.5mm TV plug



YY 2410

9.5mm TV jack



YY 2417

9.5mm TV plug, metal



YY 2424

Coaxial connector screw type



YY 2404

9.5mm TV jack



YY 2411

9.5mm TV plug



YY 2418

9.5mm TV jack, metal



YY 2427

9.5mm TV plug
Zinc-alloy bottom



YY 2405

9.5mm TV plug



YY 2412

9.5mm TV jack



YY 2419

9.5mm TV plug



YY 2427-1

9.5mm/2.3mm
metal plug



YY 2406

9.5mm TV jack



YY 2413

9.0mm TV plug



YY 2420

9.5mm TV jack



YY 2427-2

9.5mm TV plug
Plastic screw



YY 2407

9.5mm TV plug



YY 2414

9.0mm TV jack



YY 2421

9.5mm TV plug



YY 2428

9.5mm TV jack
Zinc-alloy bottom



AUDIO/VIDEO CONNECTORS SERIES

TV CONNECTOR SERIES



YY 2428-1

9.5mm/2.3mm
metal jack



YY 2432

9.5mm TV jack angle type
connected cover



YY 2439

13 mm TV plug angle



YY 2444

A:9.0mm female to 9.0mm female
B:9.5mm female to
9.5mm female



YY 2428-2

9.5mm TV jack
Plastic screw



YY 2433

9.5mm TV plug, angle type



YY 2440

9.5mm TV plug, right angle



YY 2446

A)9.0mm male to 9.5mm male
B)9.0mm male to 9.5mm female
C)9.0mm female to 9.5mm male
D)9.0mm female to
9.5mm female



YY 2428-3

9.5mm TV male metal gold



YY 2434

9.5mm TV jack, angle type



YY 2441

9.5mm TV jack, right angle



YY 2447

9.5mm male to 9.5mm male



YY 2428-4

9.5mm TV female metal gold



YY 2435

9.5mm TV plug, right angle



YY 2442

F push-on right angle



YY 2448

9.5mm female to 9.5mm female



YY 2429

9.5mm TV plug, angle type,
separable cover



YY 2436

9.5mm TV jack, right angle



YY 2442-1

9.5mm TV plug, right angle, metal



YY 2449

9.0mm male to 9.5mm female



YY 2430

9.5mm TV jack
angle type,,separable
cover



YY 2437

9.5mm TV plug, right angle



YY 2442-2

9.5mm TV jack, right angle, metal



YY 2450

9.5mm TV plug to
2 x 9.5mm TV jacks



YY 2431

9.5mm TV plug, angle type
connected cover



YY 2438

9.5mm TV jack, right angle



YY 2443

A:9.0mm male to 9.0mm male
B:9.5mm male to
9.5mm male



YY 2451

9.5mm TV jack to
2 x 9.5mm TV plugs





AUDIO/VIDEO CONNECTORS SERIES

TV CONNECTOR SERIES

YY 2452

9.5mm TV plug to 2 × 9.5mm TV jacks mini type



YY 2461

9.5mm TV plug to 2 × 9.5mm TV jacks



YY 2468

9.5mm TV jack to 3 × 9.5mm TV plugs



YY 2484

9.5mm plug 300 OHM input/ 75 OHM output



YY 2453

9.5mm TV jack to 2 × 9.5mm TV plugs mini type



YY 2462

9.5mm TV jack to 2 × 9.5mm TV plugs



YY 2469

9.5mm TV plug to 3 × 9.5mm TV jacks



YY 2486

Indoor push-on matching transformer 300 OHM input/75 OHM output



YY 2454

A: 9.5mm TV plug to 2 × 9.5mm TV jacks
B: 9.0mm TV plug to 2 × 9.0mm TV jacks



YY 2463

9.5mm TV plug to 2 × 9.5mm TV jacks



YY 2470

9.5mm TV plug to 2 × 9.5mm TV jacks



YY 2488

Indoor push-on matching transformer 300 OHM input/75 OHM output



YY 2455

A: 9.5mm TV jack to 2 × 9.5mm TV plugs
B: 9.0mm TV jack to 2 × 9.0mm TV plugs



YY 2464

9.5mm TV jack to 2 × 9.5mm TV plugs



YY 2471

9.5mm TV plug to 2 × 9.5mm TV jacks W/ant/game switch



YY 2490

F quick plug 300 OHM input/ 75 OHM output



YY 2456

2 × 9.5mm TV plugs to 2 × 9.5mm TV jacks



YY 2465

9.5mm TV plug to 2 × 9.5mm TV jacks



YY 2472

9.5mm TV jack



YY 2494

F jack UHF/VHF/FM matching transformer input 75 OHM output 300 OHM



YY 2459

9.5mm TV plug To 2 × 9.5mm TV jacks



YY 2466

9.5mm TV jack to 2 × 9.5mm TV plugs



YY 2473

2 × 9.5mm TV jacks



YY 2495

9.5mm jack UHF/VHF/FM matching transformer input 75 OHM output 300 OHM



YY 2460

9.5mm TV jack To 2 × 9.5mm TV plugs



YY 2467

9.5mm TV plug to 2 × 9.5mm TV jacks W/ switch



YY 2478

9.5mm plug 300OHM input/75OHM output different colors



YY 2497

Indoor/outdoor matching transformer



AUDIO/VIDEO CONNECTORS SERIES

TV CONNECTOR SERIES



YY 2498

Indoor/outdoor matching transformer



YY 2548

2 way splitter W/cable



YY 2577



YY 2584



YY 2501

UHF/VHF band separator
input:75 OHM
UHF:300 OHM



YY 2552

Car antenna plug



YY 2578



YY 2585



YY 2543

A/B switch W/cable



YY 2553

Car antenna plug
W/plastic



YY 2579



YY 2544

A/B/C switch W/cable,



YY 2554

Car antenna jack



YY 2580



YY 2545

A/B switch W/cable



YY 2555

Car antenna plug
W/plastic cover



YY 2581



YY 2546

A/B/C switch W/cable



YY 2556

Car antenna jack
W/plastic cover



YY 2582



YY 2547

A/B switch W/cable



YY 2583





AUDIO/VIDEO CONNECTORS SERIES

SPLITTER SERIES

YY 2641

2 way splitter 5-900MHz
A: colour zinc
B: gold



YY 2648

6 way splitter 5-1000MHz



YY-08S002

8 WAY splitter
A:5-1000MHZ
B:5-2500MHZ



YY 2642

3 way splitter 5-900MHz
A: colour zinc
B: gold



YY 2649

8 way splitter 5-1000MHz



YY-08S003

2 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



YY 2643

4 way splitter 5-900MHz
A: colour zinc
B: gold



YY 2651

2 WAY splitter
A:5-1000MHZ
B:5-2500MHZ



YY-08S004

3 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



YY 2645

2 way splitter
A: 5-1000MHz
B: 5-2000MHz



YY 2652

3 WAY splitter
A:5-1000MHZ
B:5-2500MHZ



YY-08S005

4 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



YY 2646

3 way splitter
A: 5-1000MHz
B: 5-2000MHz



YY-2653

4 WAY splitter
A:5-1000MHZ
B:5-2500MHZ



YY-08S006

5 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



YY 2647

4 way splitter
A: 5-1000MHz
B: 5-2000MHz



YY-08S001

6 WAY splitter
A:5-1000MHZ
B:5-2500MHZ



YY-08S007

3 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



AUDIO/VIDEO CONNECTORS SERIES

SPLITTER SERIES



YY-08S008

4 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



YY-08S014

5 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



YY-08S041

3 WAY splitter
5-1000MHZ



YY-08S009

6 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



YY-08S015

5-1000MHz Splitter



YY-08S042

4 WAY splitter
5-1000MHZ



YY-08S010

8 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



YY-08S016

2 WAY splitter
5-1000MHZ



YY-08S043

2 WAY splitter
5-1000MHZ



YY-08S011

2 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



YY-08S017

3 WAY splitter
5-1000MHZ



YY-08S044

3 WAY splitter
5-1000MHZ



YY-08S012

3 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



YY-08S018

4 WAY splitter
5-1000MHZ



YY-08S045

4 WAY splitter
5-1000MHZ



YY-08S013

4 WAY splitter
A:5-1000MHZ
B:5-2000MHZ



YY-08S040

2 WAY splitter
5-1000MHZ



YY-08S045-1

2 WAY splitter
5-1000MHZ





AUDIO/VIDEO CONNECTORS SERIES

SPLITTER SERIES

YY-08S046

3 WAY splitter
5-1000MHZ



YY-08S019

3 WAY vertical splitter
5-1000MHZ



YY-08S025

12 WAY vertical splitter
5-1000MHZ



YY-08S047

4 WAY splitter
5-1000MHZ



YY-08S020

4 WAY vertical splitter
5-1000MHZ



YY-08S030

2 WAY splitter
5-1000MHZ



YY-08S026

14 WAY vertical splitter
5-1000MHZ



YY-08S021

6 WAY vertical splitter
5-1000MHZ



YY-08S031

3 WAY splitter
5-1000MHZ



YY-08S027

16 WAY vertical splitter
5-1000MHZ



YY-08S022

7 WAY vertical splitter
5-1000MHZ



YY-08S032

4 WAY splitter
5-1000MHZ



YY-08S028

3 WAY splitter
5-1000MHZ



YY-08S023

8 WAY vertical splitter
5-1000MHZ



YY-08S048

2 WAY splitter
5-1000MHZ



YY-08S029

6 WAY splitter
5-1000MHZ



YY-08S024

10 WAY vertical splitter
5-1000MHZ



YY-08S049

3 WAY splitter
5-1000MHZ



AUDIO/VIDEO CONNECTORS SERIES

SPLITTER SERIES



YY-08S050

4 WAY splitter
5-1000MHZ



YY-08S035

3 way tap
2dB, 4dB, 6dB, 8dB,
10dB, 12dB, 14dB, 16dB,
18dB, 20dB, 22dB, 24dB



YY-08S037

Filter
5-2500MHz



YY-08S051

6 WAY splitter
5-1000MHZ



YY-08S054

1 way tap
5-2150MHz



YY-08S058

Indoor CATV Bi-Direction Amplifier



YY-08S052

8 WAY splitter
5-1000MHZ



YY-08S055

2 way tap
5-2150MHz



YY-08S059

High Pass Filter
Attenuator



YY-08S053

2 way tap
5-1000MHZ



YY-08S056

4 way tap
5-2150MHz



YY-08S060

High Pass Filter



YY-08S033

1 way tap
2dB, 4dB, 6dB, 8dB,
10dB, 12dB, 14dB, 16dB,
18dB, 20dB, 22dB, 24dB



YY-08S057

7 way tap
5-2150MHz



YY-08S061

High Pass Filter
65-1000MHz



YY-08S034

2 way tap
2dB, 4dB, 6dB, 8dB,
10dB, 12dB, 14dB, 16dB,
18dB, 20dB, 22dB, 24dB



YY-08S035

Line Amplifiers
5-2300MHz
A: 10dB
B: 20dB



YY-08S062





AUDIO/VIDEO CONNECTORS SERIES

SPLITTER SERIES

YY-08S036

Outdoor Splitters
5-1000MHz



Bandwidth 5Hz to 1GHz

ADC12 aluminum alloy housing is finished with a baked acrylic paint to protect from the element. The 100dB FRI integrity is maintained by the use of tongue and groove design and with a stainless steel mesh FRI gasket.

Allow power pass 10A 60V AC for power supplying.

All lines passive have built-in fuse holder for power-pass control.

All ports impedance:75ohms.

YY-08S036-1

Outdoor Coupler

Aluminum alloy housing with weather-resistant protective powder coating

High isolation degree, low power consumption and flat frequency characteristic

Over-current protection, water proof performance

5/8 F type connector offer adaptor



YY-08S063



material: metal cover metal box

Dimension: 350 x 240 x 110

270 x 180 x 90

205 x 130 x 80

Configure:

Data: input 2 to output 6

Voice: input 2 to output 6

TV: input 1 to output 4

Security protection: 10 group collection

Data: 5 data convertible module



AUDIO/VIDEO CONNECTORS SERIES

SPLITTER SERIES



YY-2564



YY-259053



YY-259059



YY-2564-1



YY-259054



YY-259060



YY-259049



YY-259055



YY-259061



YY-259050



YY-259056



YY-259062



YY-259051



YY-259057



YY-259052



YY-259058





AUDIO/VIDEO CONNECTORS SERIES

SPLITTER SERIES

Bi-Directional Distribution Amplifier

Specification:

Design for bi-directional network behind optical receiver. Best effect if use at 1km network. Adopt High gain and output imported module, PHILIPS or MOTOROLA power double module. more economical and applied. Perfect bi-directional structure brings installation and debugging convenient.



AUDIO/VIDEO CONNECTORS SERIES


SPLITTER SERIES



Bi-Directional Transmission Trunk Amplifier

Specification:

It is standard imported double-module structure bi-directional trunk amplifier. Inner structure is whole and easy to debug. High gain, output and index, it is suitable for large or middle-size network bi-directional trunk transmission. Use at behind 10-class of optical work station can get better effect



Modulator

C88 860MHz luxury type Adjacent Channel Modulator

Specification:

C88 series intelligent adjacent channel modulator is high-performance type front-end equipment, and mainly used as video and audio signal adjacent channel modulating. The equipment adopts advanced if-frequency dealing and PLL technology, high frequency stability and small signal distortion. Suitable for constructing large or middle-size CATV system.



CATV Centralization Barostat

Specification:

YY-GD series CATV centralization barostat adopted the flexible and stretchable high silicon steel sheet of ring transformer with width capability, high efficiency, noiselessness, net sine wave output and has automatic constant voltage, short-circuit protection and anti-thunder circuit. It's a desirable power equipment of big and medium-sized CATV system.





AUDIO/VIDEO CONNECTORS SERIES

SPLITTER SERIES

YY-OT-1550 Externally modulated optical transmitter

Specification:

YY-OT-1550 External Modulation Optical Transmitter is the important equipment for building large, middle-size CATV optical fiber transmission network, which is mainly used in long- distance optical fiber transmission for TV image signal, TV digital signal, telephone TV signals and data signals(compressed date).

YY-OT-1550 External Modulation Optical Transmitter adopt international famous brand low-noise DFB laser, high performance LiNbO3 external modulator, and RF drive part is with RF power digital auto-operation technology and advance RF pre-distortion circuit developed by our company. On the other hand, the build-in perfect micro-computer auto-monitor system to make sure good performance index of the whole equipment.

All performance index and technology of YY-1550 External Modulation Optical Transmitter are equivalent to the imported ones. It has beautiful shape, perfect index and good performance, which is very suitable for large, middle-size CATV optical fiber network.



1310nm laser transmitter

Specification:

YY-8600、YY-7500Series 1310nm laser transmitter is the important equipment for building CATV HFC network, which is mainly used in long- distance optical fiber transmission for TV image signal, TV digital signal, telephone TV signals and data signals(compressed date).

YY-8600、YY-7500Series 1310nm laser transmitter adopt international famous brand low-noise DFB laser, high performance LiNbO3 external modulator, and RF drive part is with RF power digital auto-operation technology and advance RF pre-distortion circuit developed by our company. On the other hand, it builds in perfect micro-computer auto-monitor system to make sure good performance index of the whole equipment.

Since the first 1310nm laser transmitter come into market successfully, the production technology innovates constantly, circuit structure changes a lot and quality index improves much. On the other hand, RF part of WT-8600,WT-7500 Series 1310nm laser transmitter adopt GaAs amplify circuit ,all performance indexes take the lead in domestic market and the quality can be comparable to the imported products.



AUDIO/VIDEO CONNECTORS SERIES

SPLITTER SERIES



Field Output Optical Node

Specification:

YYOR-8604A, YYOR-7504A series field 4-way output optical node is used for long-distance optical fiber transmission of TV image signal, digital TV signal, telephone sound signal and data (or compressed data) signal.

Our company develops the first CATV optical receiver since 1995, we have studied the various technical performance of CATV optical receiver for more than 10 years, which has accumulated a lot of experience in product development and engineering practice, improve the internal circuit, external structure and performance index.

At present, our company has acquired the most advanced CATV optical receiver design skills and production technology in domestic industry; at the same time, the yield of our CATV optical receiver is first in this area.



YYOR8604S



YYOR8604



YYOR8100

YY-OR9122,9428/FTTH CATV Optical Receiver

Specification:

The structure compactness of the circuit is rational within this product, the outer cover selects the special-purpose aluminium alloy type material for use, the surface is oxidized and deals with by wire drawing.



YY-OR9122



YY-OR9428

Home use light receiver

Specification:

YY-8600R series domestic optical receiver is especially used for FTTH network frame. Its structure is compact and reasonable also high performance index. Its cover used ABS material. As well, this product is high quality and reasonable costs.

Now this product have been sold to all over China and exported to overseas countries and gained high appreciation.





AUDIO/VIDEO CONNECTORS SERIES

SPLITTER SERIES

Return Optical Receiver

YY-8600R 4-output return optical receiver is used for forward return receive of TV image signal, digital TV signal telephone sound signal and data (or compressed data) signal.

YY8600R 4-output optical receiver has added an advanced automatic power control circuit and a high-performance multi-band-pass filter, which not only effectively improving the signal to noise ratio of the reverse channel indicators, but also making the RF output level constantly, and further more, it enhances the reliability for the uplink of cable HFC network.

Four independent optical receive units are setup in the 19" $\pm 1U$ standard rack of WR2004R 4-output optical receiver, each unit receives and amplifiers independently, the adjustable output level with independent monitoring port; rational structure, high integration, convenience installation and debugging.



Field Optical Work Station

Specification:

YY-YGZ, YY-YGZ-2, YY-YGZ-3 Field Optical Work Station are based on several years developing CATV top products advanced technology and rich experience. Adopt foreign high index module, and has network management. Advanced technology, high index, and high performance to price ratio, suitable large or middle size CATV city network.



YY-HH-1550 Erbium-Doped Fiber Amplifier

Specification:

In order to reach high index and dependability, main instruments are all adopted imported famous brand to cooperate microprocessor automatic control circuit and high dependability switch power to assemble up. High dependability, low noise, especially double pump design makes noise index better. Each main technique performance index and technique plane can compare with foreign similar machine. And with high performance to price ratio, it is suitable for using at large or middle-size network.



AUDIO/VIDEO CONNECTORS SERIES

TEST LEADS SERIES



YY 2601

Molded handle Pin tip type
test leads set
Color: red & black



YY 2608

Pin tip type test leads set
square type



YY 2616

Hard pip assemble type
banana straight plug
test leads set



YY 2624

Test leads screw-on
plug Φ 2mm



YY 2602

Molded handle banana
plug test leads set
square type



YY 2609

Pin tip type test leads set
hexagon type



YY 2617

Solderless screw-on
changable test probe
 Φ 2mm



YY 2627

Straight plug protect cover
test leads set



YY 2603

Right angle test
leads set square type



YY 2610

Test leads set-clip & molded
handle 3FT



YY 2619

Solderless screw-on
changable test banana plug
 Φ 2mm



YY 2628

Straight banana plug hard tip
test leads set



YY 2604

Right angle test
leads set banana plug



YY 2611

Test leads set banana plug
& clip 3FT



YY 2620

Mini test leads set
 Φ 2mm



YY 2629

Right angle banana plug
hard tip test leads set



YY 2605

Solderless tip type
test leads set
 Φ mm



YY 2612

Test leads set 3 Color
banana plug claw
clip cable set



YY 2621

Mini test leads set



YY 2630

Straight type protect cover
test leads set



YY 2606

Solderless tip type
test leads set
 Φ 4mm



YY 2614

Test leads Φ 2mm test probe to
protect cover
banana plug



YY 2622

1mm² wire 1mm² protect cover
test leads set



YY 2632

Test lead head



YY 2607

Banana plug type
test leads set



YY 2615

Hard pip assemble type
right angle banana plug
test leads set



YY 2623

Test leads set



YY 2634





AUDIO/VIDEO CONNECTORS SERIES

CANONS SERIES

YY 2701

Microphone connector
Female nickel



YY 2714

Microphone connector
Female nickel



YY 2724

Microphone connector
Male nickel
4p-8p



YY 2749

Microphone connector
Female to Female



YY 2702

Microphone connector
Female nickel



YY 2715

Microphone connector
Female nickel



YY 2725

Microphone connector
Female nickel



YY 2750

Microphone connector
Female to RCA Plug



YY 2705

Microphone connector
Female nickel



YY 2717

Microphone connector
Female nickel



YY 2736

Microphone connector
Male to 6.35mm
mono jack



YY 2751

Microphone connector
Female to RCA Jack



YY 2707

Microphone connector
Male nickel



YY 2718

Microphone connector
Female nickel



YY 2737

Microphone connector
Female to 6.35mm
Mono Jack



YY 2753

Microphone connector
Male to RCA plug



YY 2708

Microphone connector
Male nickel



YY 2720

Microphone connector
Male nickel



YY 2738

Microphone connector
Female to 6.35mm
A: Stereo Plug
B: Mono Plug



YY 2754

Microphone connector
Male to RCA Jack



YY 2709

Microphone connector
Male nickel,
long type



YY 2721

Microphone connector
Male nickel



YY 2742

Microphone connector
Female to Male



YY 2762

Spkon(F)-1/4'
locking type



YY 2711

Microphone connector
Male nickel



YY 2723

Microphone connector
Male nickel



YY 2744

Microphone connector
Male to 6.35mm
A: Stereo Plug
B: Mono Plug



YY 2763

Spkon(F)-XLR(F)



AUDIO/VIDEO CONNECTORS SERIES

CANONS SERIES



YY 2764
Spkon(F)-XLR(M)



YY 2779



YY 2786



YY 2793



YY 2765
Spkon(M)-XLR(F)



YY 2780



YY 2787



YY 2794



YY 2766
Spkon(M)-XLR(M)



YY 2781



YY 2788



YY 2795



YY 2773



YY 2782



YY 2789



YY 2796



YY 2774



YY 2783



YY 2790



YY 2797



YY 2775



YY 2784



YY 2791



YY 2799-1



YY 2776



YY 2785



YY 2792



YY 2799-2





AUDIO/VIDEO CONNECTORS SERIES

FUSE & FUSE HOLDER SERIES

GLASSTUBE FUSE (FAST-BLOW)		RATED CURRENT (FL125V, FL250V) F:0.1mA~30A	
YY 2801 5×20 OUTER SOLDER TYPE		YY 2802 6×30 OUTER SOLDER TYPE	
YY 2803 5×20 INNER-SOLDER TYPE		YY 2804 6×30 INNER-SOLDER TYPE	
YY 2805 5×20 INNER-SOLDER TYPE WITH STUFF PAPER		YY 2806 6×30 INNER-SOLDER TYPE WITH STUFF PAPER	
GLASS TUBE FUSE (SLOW-BLOW)		RATED CURRENT (FL125V, FL250V) F: 1A~20A	
YY 2807 5×20 DELAY INNER SOLDER TYPE		YY 2808 6×30 DELAY INNER SOLDER TYPE	
CERAMICTUBE FUSE (FAST-BLOW) F: 500mA~60A			
YY 2813 5 × 20 6 × 25		YY 2814 6 × 30	
YY 2815 8.5 × 31.5		YY 2816 10.3 × 38	
YY 2818 Fuse holder A:5mm × 20mm B:6mm × 30mm round		YY 2820 Fuse holder for 5mm × 20mm	
		YY 2822 Fuse holder for 5mm × 20mm	
YY 2819 Fuse holder A:5mm × 20mm B:6mm × 30mm flat sides		YY 2821 Fuse holder for 5mm × 20mm	
		YY 2823 Fuse holder for 5mm × 20mm	

AUDIO/VIDEO CONNECTORS SERIES

FUSE & FUSE HOLDER SERIES



YY 2824

Fuse holder
for 5mm × 20mm



YY 2832

Fuse holder
for 5mm × 20mm



YY 2847

Fuse clip tool



YY 2825

Fuse holder for
A:5mm × 20mm
B:6mm × 30mm



YY 2834

Fuse holder
A:5mm × 20mm
B:6mm × 30mm



YY 2826

Fuse clip
5mm × 20mm



YY 2835

Fuse holder
A:5mm × 20mm
B:6mm × 30mm



YY 2827

Fuse holder for
A:5mm × 20mm
B:6mm × 30mm



YY 2836

Fuse holder
A:6mm × 30mm
B:10mm × 38mm



YY 2829

Fuse holder
for 5mm × 20mm



YY 2841

Temperature limited fuse



YY 2830

Fuse holder
for 6mm × 30mm



YY 2842

Temperature limited fuse




YY 2831

Fuse holder
for 5mm × 20mm



YY 2843

Temperature limited fuse





AUDIO/VIDEO CONNECTORS SERIES

SWITCH SERIES

YY 6501 ON-OFF
SPST 2P



YY 6518 ON-ON
YY 6519 ON-(ON)
YY 6520 ON-OFF-ON
YY 6521 ON-OFF-(ON)
YY 6522 (ON)-OFF-(ON)
YY 6522-1 ON-ON-ON
DPDT 6P



YY 6510 ON-ON
YY 6510 ON-OFF-ON
DPDT 6P



YY 6502 ON-OFF
SPDT 3P



YY 6511 ON-OFF
SPST 2P



YY 6523 ON-OFF
SPST 2P



YY 6504 ON-OFF
DPDT 6P



YY 6512 ON-ON
YY 6513 ON-(ON)
YY 6514 ON-OFF-ON
YY 6515 ON-OFF-(ON)
YY 6516 (ON)-OFF-(ON)
SPDT 3P



YY 6524 ON-ON
YY 6525 ON-(ON)
YY 6526 ON-OFF-ON
YY 6527 ON-OFF-(ON)
YY 6528 (ON)-OFF-(ON)
SPDT 3P



YY 6506 ON-OFF
SPST 2P



YY 6535 ON-ON
YY 6536 ON-(ON)
YY 6537 ON-OFF-ON
YY 6538 ON-OFF-(ON)
YY 6539 (ON)-OFF-(ON)
SPDT 3P



YY 6562 ON-ON
YY 6563 ON-(ON)
YY 6564 ON-OFF-ON
YY 6565 ON-OFF-(ON)
YY 6566 (ON)-OFF-(ON)
DPDT 6P



YY 6507 ON-ON
YY 6507 ON-(ON)
YY 6508 ON-OFF-ON
YY 6508 ON-OFF-(ON)
YY 6508 (ON)-OFF-(ON)
YY 6508-1 ON-ON-ON
SPST 3P



YY 6540 ON-ON
YY 6541 ON-(ON)
YY 6542 ON-OFF-ON
YY 6543 ON-OFF-(ON)
YY 6544 (ON)-OFF-(ON)
DPDT 6P



COVER-04
M12X0.75



COVER-05



YY 6517 ON-OFF
SPST 4P



YY 6509 ON-ON
YY 6509 ON-OFF-ON
SPDT 3P



YY 6580 ON-OFF
YY 6581 ON-OFF
SPST 2P



AUDIO/VIDEO CONNECTORS SERIES

SWITCH SERIES



YY 6582 ON-ON
YY 6583 ON-(ON)
YY 6584 ON-OFF-ON
YY 6585 ON-OFF-(ON)
YY 6585-1 (ON)-OFF-(ON)
SPDT 3P



YY 9243 ON-ON
YY 9244 ON-(ON)
YY 9245 ON-OFF-ON
YY 9246 ON-OFF-(ON)
YY 9247 (ON)-OFF-(ON)
DPDT 6P



YY 6576 ON-ON
YY 6577 ON-(ON)
YY 6578 ON-OFF-ON
YY 6579 ON-OFF-(ON)
YY 6579-1 (ON)-OFF-(ON)
DPDT 6P



YY 6586 ON-OFF
YY 6587 ON-OFF
DPST 4P



YY 9248 ON-OFF
YY 9249 ON-OFF
SPST 2P



YY 6567 ON-OFF
4A 125VAC; 2A 250VAC
SPST 2P



YY 6588 ON-ON
YY 6589 ON-(ON)
YY 6590 ON-OFF-ON
YY 6591 ON-OFF-(ON)
YY 6591-1 (ON)-OFF-(ON)
DPDT 6P



YY 9250 ON-ON
YY 9251 ON-(ON)
YY 9252 ON-OFF-ON
YY 9253 ON-OFF-(ON)
YY 9254 (ON)-OFF-(ON)
SPDT 3P



YY 6568 ON-OFF
4A 125VAC; 2A 250VAC
SPDT 4P



YY 9234 ON-OFF
YY 9235 ON-OFF
SPST 2P



YY 6570 ON-OFF
YY 6571 ON-OFF
SPST 2P



YY 6569 ON-OFF
4A 125VAC; 2A 250VAC
DPDT 6P



YY 9236 ON-ON
YY 9237 ON-(ON)
YY 9238 ON-OFF-ON
YY 9239 ON-OFF-(ON)
YY 9240 (ON)-OFF-(ON)
SPDT 3P



YY 6572 ON-ON
YY 6572-1 ON-(ON)
YY 6573 ON-OFF-ON
YY 6573-1 ON-OFF-(ON)
YY 6573-2 (ON)-OFF-(ON)
SPDT 3P



YY 6592 ON-OFF
6A 125VAC; 3A 250VAC; 10A 12VDC
SPST 2P



YY 9241 ON-OFF
YY 9242 ON-OFF
SPST 4P



YY 6574 ON-OFF
YY 6575 ON-OFF
DPST 4P



YY 9259 ON-OFF
6A 125VAC; 3A 250VAC;
10A 12VAC
SPST 2P





AUDIO/VIDEO CONNECTORS SERIES

SWITCH SERIES

YY 9260 ON-OFF
SPST 2P



YY 9261 ON-ON
SPDT 3P



YY 9264 ON-OFF
10A 125VAC;6A 250VA C
SPST 2P



YY 9283 ON-ON
YY 9284 ON-OFF-ON
10A 125VAC;6A 250VA C
DPDT 4P



YY 6631 ON-OFF
YY 6631-1 (ON)-OFF
YY 6631-2 ON-OFF
YY 6631-3 (ON)-OFF
SPST 2P



YY 9265 ON-OFF
YY 9266 (ON)-OFF
YY 9267 ON-OFF
YY 9268 (ON)-OFF
DPST 4P



YY 9285 ON-ON
6A 125VAC;3A 250VA C
DPDT 6P



YY 6632-1 ON-ON
YY 6632 ON-OFF-ON
YY 6632-2 ON-ON
SPDT 3P



YY 9269 ON-OFF
YY 9270 (ON)-OFF
YY 9271 ON-OFF
YY 9272 (ON)-OFF
DPDT 6P



YY 6610 ON-OFF
SPST 2P



YY 9262 ON-OFF
YY 9263
SPST 3P



YY 9277 ON-OFF
YY 9278 ON-OFF-ON
YY 9279 ON-OFF
YY 9280 ON-OFF-ON
DPDT 6P



YY 9287 ON-OFF
YY 9288 (ON)-OFF
SPST 2P
Color:all colors



YY 6638 ON-OFF
YY 6638-1 ON-OFF
YY 6638-2 ON-OFF
YY 6638-3 ON-OFF
DPST 4P



YY 9281 ON-OFF
10A 125VAC;6A 250VA C
DPST 6P



YY 9289 ON-OFF
SPST 3P
YY 9290 ON-ON
SPDT 3P
Color:all colors



YY 6639 ON-OFF
DPST 3P
YY 6639-1 ON-ON
YY 6639-2 ON-OFF-ON
YY 6639-3 (ON)-OFF-(ON)
SPDT 3P
10A 125VAC;6A 250VA C



YY 9282 ON-OFF
6A 125VAC;3A 250VA C
DPST 4P



YY 9293 ON-OFF
SPST 2P
Color:all colors



AUDIO/VIDEO CONNECTORS SERIES

SWITCH SERIES



YY 9295 ON-OFF

SPST 3P

YY 9296 ON-OFF

SPDT 3P

Color:all colors



YY 9324 ON-OFF

15A 125VAC;10A 250VAC

SPST 3P



YY 6699 ON-OFF

YY 6650 OFF-(ON)

YY 6651 ON-(OFF)

Color:all colors



YY 9305 ON-OFF

SPST 3P

YY 9306 ON-ON

YY 9307 ON-OFF-ON

SPDT 3P

Color:all colors




YY 6617 ON-OFF

YY 6619 ON-OFF

DPST 4P

Color:all colors



YY 6606 ON-OFF

YY 6606-1 OFF-(ON)

YY 6606-2 ON-(OFF)

Color:all colors



YY 9314 ON-OFF

10A 125VAC;6.5A 250VAC

SPST 2P



YY 9337 ON-OFF

YY 9338 ON-OFF

DPST 4P

Color:all colors



YY 6603 OFF-(ON)

(plastic red)

Color:all colors



YY 9315 ON-OFF

13A 125VAC;6.5A 250VAC

SPST 2P



YY 6627 ON-OFF

YY 6629 ON-ON

DPDT 6P

Color:all colors



YY 6602 OFF-(ON)

YY 6602-1 ON-(OFF)

(metal red)

Color:all colors



YY 6642 ON-OFF

SPST 3P

YY 6642-1 ON-ON

YY 6642-2 ON-OFF-ON

SPST 3P

13A 125VAC;6.5A 250VAC

Color:all colors



YY 6693 ON-OFF

YY 6694 OFF-(ON)

YY 6693 ON-(OFF)

Color:all colors



YY 9358 ON-OFF



YY 9321 ON-OFF

15A 125VAC;10A 250VAC

SPST 3P

Color:all colors



YY 6696 ON-OFF

YY 6697 OFF-(ON)

YY 6698 ON-(OFF)

Color:all colors



YY 9359 OFF-(ON)

YY 9360 ON-(OFF)





AUDIO/VIDEO CONNECTORS SERIES

SWITCH SERIES

YY 9361 ON-OFF
4A 125VAC; 2A 250VA C
Color:all colors



YY 9378 (L=7,13,20)
6A 30VDC;10A 12VDC
SPDT 2P



YY 9383 ON-(ON)
10A:125/250VA C
YY 9384 ON-(ON)
5A:125/250VA C
SPDT 3P
L=12,25



YY 6650 ON-(OFF)
(原PBS-17B)
Color:all colors



YY 9379 ON-OFF
20A 12VDC(with lamp)
SPST 3P



YY 9385 ON-ON
YY 9386 ON-OFF-ON
6A 125VAC;3A 250VA C
DPDT 6P



YY 9362 ON-OFF
YY 9363 OFF-(ON)
Color:all colors



YY 9380 ON-OFF
10A 12VDC(with lamp)
SPST 3P



YY 9387 ON-OFF-ON
6A 125VAC;3A 250VA C
DPDT 6P



YY 9364 ON-OFF
YY 9365 OFF-(ON)
Color:all colors



YY 6646 ON-(ON)
10A :125/250VA C
YY 6646-1 ON-(ON)
5A :125/250VA C
SPDT 3P



YY 9389 11W1P
5A 125VAC;3A 250VA C



YY 9368 ON-OFF
YY 9369 OFF-(ON)
Color:all colors



YY 6647 ON-(ON)
10A:125/250VA C
YY 6647-1 ON-(ON)
5A:125/250VA C
SPDT 3P
L=13,17,27,31,38,53



YY 6649 11W1P
10A 125VAC;5A 250VA C



YY 6604 OFF-(ON)
YY 6604-1 ON-(OFF)
4A 125VAC;2A 250VA C



YY 9381 ON-(ON)
10A:125/250VA C
YY 9382 ON-(ON)
5A:125/250VA C
SPDT 3P
L=12,25



YY 6648 2-12WAY S
1-6 POLES
0.5A 125VAC;0.3A 250VA C



F/BNC/UHF/TNC/N/RF SERIES



YY 3001

F CONNECTOR WITH RING

- A) RG58/U
- B) RG59/U
- C) RG6/U
- D) 7C2V



YY 3008

F FEMALE W/ATTACHED CRIMP RING



YY 3016

F FEMALE PC MOUNT



YY 3023

F MALE TO TNC MALE



YY 3002

F CONNECTOR



YY 3009

F CONNECTOR WITH RING



YY 3017

RIGHTANGLE F FEMALE
PC MOUNT



YY 3024

F MALE TO UHF MALE



YY 3003

F MALE TWIST ON

- A) RG58/U
- B) RG59/U
- C) RG6/U
- D) 7C2V



YY 3010

F QUICK MOLDED



YY 3018

F FEMALE



YY 3025

F DOUBLE FEMALE
A) W/ WASHER & NUTS
B) W/O WASHER & NUTS



YY 3004

F MALE TWIST ON

- A) RG58/U
- B) RG59/U
- C) RG6/U
- D) 7C2V



YY 3011

F MALE TERMINATOR
(DUMMY LOAD)
A) 50 OHM
B) 75 OHM
C) 93 OHM



YY 3019

F MALE TO F MALE



YY 3026

BNC FEMALE TO F MALE



YY 3005

F RG 11



YY 3012

F FEMALE BULKHEAD



YY 3020

F QUICK MALE TO
F FEMALE



YY 3027

F MALE TO N FEMALE



YY 3006

F CONNECTOR



YY 3014

F FEMALE BULKHEAD
A) WITH WASHER & NUTS
B) W/O WASHER & NUTS



YY 3021

F MALE TO N MALE



YY 3028

F MALE TO PAL FEMALE



YY 3007

F WITH ATTACHED CRIMP RING



YY 3015

F FEMALE BULKHEAD
A) WITH WASHER & NUTS
B) W/O WASHER & NUTS



YY 3022

F MALE TO PAL MALE



YY 3029

F MALE TO RCA MALE





F/BNC/UHF/TNC/N/RF SERIES

YY 3030
F MALE TO TNC FEMALE



YY 3037
RCA MALE TO F FEMALE



YY 3045
F THREE FEMALE



YY 3048
BNC MALE CRIMP
A)RG58/U
B)RG59/U
C)RG6/U



YY 3031
F MALE TO UHF FEMALE



YY 3039
F FEMALE TO TNC FEMALE



YY 3045-1
F FOUR FEMALE



YY 3049
BNC MALE,QUICK CRIMP
A)RG58/U
B)RG59/U
C)RG6/U



YY 3032
F MALE RIGHTANGLETWIST ON



YY 3040
F FEMALE TO UHF FEMALE



YY 3045-2
F MALE TO THREE FEMALE



YY 3050
BNC MALE MOLDED & CRIMP
A)RG58/U
B)RG59/U
C)RG6/U



YY 3033
PAL FEMALE TO F FEMALE



YY 3041
F FEMALE TO 3.5mm MONO PLUG



YY 3046
9.5MM TV PLUG TO F FEMALE



YY 3051
BNC MALE RIGHTANGLE CRIMP TYPE
A)RG58/U
B)RG59/U
C)RG6/U



YY 3034
PALQUICK FEMALE TO F FEMALE



YY 3042
RIGHTANGLE F MALE TO F FEMALE



YY 3047
F MALE TO RCA FEMALE



YY 3052
BNC MALE CLAMP
A)RG58/U
B)RG59/U
C)RG6/U



YY 3035
F FEMALE TO RCA FEMALE



YY 3043
RIGHTANGLE F QUICK MALE TO F FEMALE



YY 3047-1
SCREW-ON TYPE F PLUG
A: RG58
B: RG59
C: RG6



YY 3053
BNC MALE CLAMP PANEL
A)RG58/U
B)RG59/U
C)RG6/U



YY 3036
F FEMALE TO RCA FEMALE



YY 3044
F QUICK MALE TO DOUBLE F FEMALE



YY 3047-2
F CONNECTORS TOOL



YY 3054
BNC MALE RIGHTANGLE TWIST-ON
A) RG58/U
B) RG59/U
C) RG6/U



F/BNC/UHF/TNC/N/RF SERIES



YY 3055
BNC MALE TWIST-ON
A)RG58/U
B)RG59/U
C)RG6/U



YY 3062
BNC FEMALE CRIMP PANEL
A)RG58/U
B)RG59/U
C)RG6/U



YY 3069
BNC FEMALE
CHASSIS MOUNT



YY 3077
BNC MALE RIGHTANGLE TO
BNC FEMALE



YY 3056
BNC MALE BULKHEAD LONG
THREAD
A)RG58/U
B)RG59/U



YY 3063
BNC FEMALE CLAMP
A)RG58/U
B)RG59/U
C)RG6/U



YY 3070
BNC FEMALE CRIMP TYPE
A)RG58/U
B)RG59/U
C)RG6/U



YY 3078
BNC MALE TO F FEMALE



YY 3057
BNC MALE CHASSIS MOUNT



YY 3064
BNC FEMALE BULKHEAD
CLAMP TYPE
A)RG58/U
B)RG59/U
C)RG6/U



YY 3071
BNC FEMALE P.C.B. MOUNT



YY 3079
BNC MALE TO N MALE



YY 3058
BNC MALE TERMINATOR
A)50 OHM
B)75 OHM
C)93 OHM



YY 3065
BNC FEMALE TWIST ON
A)RG58/U
B)RG59/U
C)RG6/U



YY 3072
BNC MALE RIGHT
ANGLE CHASSIS MOUNT



YY 3080
BNC MALE TO N FEMALE



YY 3059
BNC TERMINATOR
PROTECTIVE CAP
A)50 OHM
B)75 OHM
C)93 OHM



YY 3066
BNC FEMALE BULKHEAD
LONG THREAD
A)WITH WASHER+NUT
B)W/O WASHER+NUT



YY 3074
BNC FEMALE TERMINATOR
A)50 OHM
B)75 OHM
C)93 OHM



YY 3081
BNC MALE TO PAL MALE



YY 3060
BNC FEMALE CRIMP
A)RG58/U
B)RG59/U
C)RG6/U



YY 3067
BNC FEMALE ISOLATED
GROUND BULKHEAD



YY 3075
DOUBLE BNC MALE



YY 3082
BNC MALE TO PAL FEMALE



YY 3061
BNC FEMALE
BULKHEAD CRIMP
A)RG 58/U
B)RG 59/U
C)RG 6/U
D)174 /U



YY 3068
BNC FEMALE PANEL CLAMP
A)RG58/U
B)RG59/U
C)RG6/U



YY 3076
BNC MALE TO BNC FEMALE



YY 3083
BNC MALE TO RCA MALE





F/BNC/UHF/TNC/N/RF SERIES

YY 3084

BNC MALE TO F MALE



YY 3091

BNC MALE TO UHF FEMALE



YY 3098

BNC FEMALE TO PAL
QUICK FEMALE



YY 3105

BNC MALE TO DOUBLE BNC
FEMALE



YY 3085

BNC MALE TO RCA FEMALE



YY 3092

DOUBLE BNC FEMALE



YY 3099

BNC FEMALE TO RCA MALE



YY 3106

BNC MALE TO
DOUBLE FEMALE



YY 3086

BNC MALE TO TNC MALE



YY 3093

BNC FEMALE TO BNC FEMALE
(LONG THREAD)
A) W/WASHER+NUT+RUBBER
B) W/WASHER+NUT



YY 3100

BNC FEMALE TO RCA FEMALE



YY 3107

BNC FEMALE TO DOUBLE
MALE



YY 3087

BNC MALE TO TNC FEMALE



YY 3094

BNC FEMALE TO F FEMALE



YY 3101

BNC FEMALE TO
TNC FEMALE



YY 3108

BNC MALE TO DOUBLE BNC
FEMALE



YY 3088

BNC MALE TO UHF MALE



YY 3095

BNC FEMALE TO F QUICK MALE



YY 3102

BNC FEMALE TO UHF
FEMALE



YY 3109

BNC MALE TO DOUBLE
BNC FEMALE



YY 3089

BNC FEMALE TO
3.5mm MONO PLUG MALE



YY 3096

BNC FEMALE TO N FEMALE



YY 3103

BNC THREE MALE



YY 3110

BNC MALE TO DOUBLE BNC
FEMALE



YY 3090

BNC MALE CRIMP LOCK TYPE



YY 3097

BNC FEMALE TO PAL MALE



YY 3104

BNC MALE TO DOUBLE BNC
FEMALE



YY 3111

BNC THREE FEMALE



F/BNC/UHF/TNC/N/RF SERIES



YY3112

BNC THREE FEMALE



YY3119

BNC MALE
W/SPRING



YY 3130

DOUBLE PAL FEMALE
BULKHEAD



YY 3138

PAL QUICK FEMALE TO
RCA MALE



YY3113

BNC FOUR FEMALE



YY 3122

TNC FEMALE TO
UHF FEMALE



YY 3131

PAL FEMALE TO
3.5mm MONO PLUG



YY 3138-1

RIGHTANGLE METAL
PAL PLUG



YY3114

BNC THREE FEMALE TO
BNC MALE



YY 3123

PAL MALE TO RCA FEMALE



YY 3132

PAL FEMALE W/CRIMP RING
B: RG59/U
C: RG6/U



YY 3138-2

RIGHTANGLE METAL
PAL JACK



YY3115

BNC MALE ANTENNA
MOUNT



YY 3126

PAL FEMALE TO RCA FEMALE



YY 3133

PAL MALE (BULKHEAD)



YY 3140

UHF MALE MOLDED CRIMP TYPE
A) RG 58/U
B) RG 59/U



YY3116

RIGHTANGLE BNC MALE TO
TNC FEMALE



YY 3127

PAL QUICK MALE TO
RCA FEMALE
(BULKHEAD)



YY 3134

PAL FEMALE (BULKHEAD)



YY 3141

UHF CONNECTOR WITH REDUCER
(SILVER PLATED)



YY3117

BNC MALE LOCK COMMON
TYPE



YY 3128

PAL MALE TO RCA FEMALE
(BULKHEAD)



YY 3136

PAL QUICK FEMALE TO
RCA FEMALE



YY 3142

UHF MALE



YY3118

BNC MALE RAPID



YY 3129

F QUICK MALE TO
9.5MM FEMALE



YY 3137

RC MALE TO PAL FEMALE



YY 3143

REDUCER USED WITH
TDB-5506
A)RG58/U
B)RG59/U





F/BNC/UHF/TNC/N/RF SERIES

YY 3144

RIGHTANGLE UHF MALE
TWIST ON
A)RG58/U
B)RG59/U
C)RG213/U



YY 3151

UHF MALE TO BNC FEMALE



YY 3158

UHF MALE TO DOUBLE UHF
FEMALE



YY 3165

MINI UHF MALE TO
BNC FEMALE



YY 3145

UHF FEMALE SOLDER PANEL
RECEPTACLE



YY 3152

UHF MALE TO F FEMALE



YY 3159

UHF THREE FEMALE



YY 3166

MINI UHF MALE TO
N FEMALE



YY 3146

UHF FEMALE BULKHEAD



YY 3153

UHF MALE TO N FEMALE



YY 3160

MINI UHF FEMALE CRIMP TYPE
A) RG58/U
B) RG59/U
C) RG6/U



YY 3167

MINI UHF MALE TO
TNC FEMALE



YY 3147

RIGHTANGLE UHF FEMALE
TWIST ON



YY 3154

UHF MALE TO RCA FEMALE



YY 3161

MINI UHF FEMALE CRIMP TYPE
A) RG58/U
B) RG59/U
C) RG6/U



YY 3168

MINI UHF MALE TO
UHF FEMALE



YY 3148

UHF DOUBLE MALE



YY 3155

UHF MALE TO TNC FEMALE



YY 3162

MINI UHF FEMALE BULKHEAD



YY 3169

MINI UHF FEMALE TO
BNC MALE



YY 3149

UHF DOUBLE FEMALE



YY 3156

UHF FEMALE TO
3.5MM MONO PLUG



YY 3163

MINI UHF DOUBLE MALE



YY 3170

MINI UHF FEMALE TO
N MALE



YY 3150

UHF DOUBLE FEMALE
BULKHEAD



YY 3157

RIGHTANGLE UHF MALE TO
FEMALE



YY 3164

MINI UHF DOUBLE FEMALE



YY 3171

MINI UHF FEMALE TO TNC MALE



F/BNC/UHF/TNC/N/RF SERIES



YY 3172

MINI UHF FEMALE TO UHF MALE



YY 3179

UHF MALE CLAMP LARGE

A) 3D
B) 5D
C) 8D
D) 10D
E) 12D
ID: 5.8/8.2/12/14/18.4



YY 3186

TNC MALE BULKHEAD



YY 3193

TNC FEMALE CHASSIS



YY 3173

RIGHTANGLE MINI UHF MALE TO UHF FEMALE



YY 3180

TNC MALE PANEL CRIMP

A)RG58/U
B)RG59/U
C)RG6/U
D)174/U



YY 3187

TNC FEMALE CRIMP TYPE

A)RG58/U
B)RG59/U
C)RG6/U
D)174/U



YY 3194

TNC MALE TO TNC MALE



YY 3174

RIGHTANGLE MINI UHF MALE TO BNC FEMALE



YY 3181

TNC RIGHTANGLE MALE, CRIMP TYPE

A)RG58/U
B)RG59/U
C)RG6/U



YY 3188

TNC FEMALE PANEL CRIMP

A)RG58/U
B)RG59/U
C)RG6/U
D)174/U



YY 3195

TNC MALE TO TNC FEMALE



YY 3175

MINI UHF MALE TO UHF DOUBLE FEMALE



YY 3182

TNC MALE, CLAMP TYPE

A)RG58/U
B)RG59/U
C)RG6/U



YY 3189

TNC FEMALE BULKHEAD CRIMP

A)RG58/U
B)RG59/U
C)RG6/U



YY 3196

RIGHTANGLE TNC MALE TO TNC FEMALE



YY 3176

MINI UHF THREE FEMALE



YY 3183

TNC MALE TWIST ON

A)RG58/U
B)RG59/U
C)RG6/U



YY 3190

TNC FEMALE PANEL CLAMP



YY 3197

TNC DOUBLE FEMALE



YY 3177

MINI UHF MALE TWIST ON

A)RG58/U
B)RG59/U
C)RG6/U



YY 3184

RIGHTANGLE TNC MALE TWIST ON

A)RG58/U
B)RG59/U
C)RG6/U



YY 3191

TNC FEMALE TWIST ON

A)RG58/U
B)RG59/U
C)RG6/U



YY 3198

TNC DOUBLE FEMALE BULKHEAD



YY 3178

UHF FEMALE TO RCA MALE



YY 3185

TNC MALE CHASSIS MOUNT



YY 3192

TNC FEMALE BULKHEAD



YY 3199

TNC DOUBLE FEMALE PANEL





F/BNC/UHF/TNC/N/RF SERIES

YY 3200

TNC MALE TO UHF MALE



YY 3207

TNC FEMALE TO RCA MALE



YY 3214

THREE TNC FEMALE



YY 3222

RIGHTANGLE N MALE
CRIMP TYPE
A)RG58/U
B)RG59/U



YY 3201

TNC MALE TO BNC FEMALE



YY 3208

TNC FEMALE TO
UHF FEMALE



YY 3215

TNC MALE TO
DOUBLE BNC FEMALE



YY 3223

RIGHTANGLE N MALE
CLAMP TYPE
A)RG58/U
B)RG59/U



YY 3202

N MALE TO F FEMALE



YY 3209

TNC MALE TO DOUBLE
TNC MALE



YY 3216

TNC MALE CRIMP TYPE
A)RG58/U
B)RG59/U
C)RG6/U
D)RG174/U



YY 3224

N MALE SOLDER TYPE
BULKHEAD



YY 3203

TNC MALE TO N FEMALE



YY 3210

TNC MALE TO DOUBLE TNC
FEMALE



YY 3217

TNC MALE ANTENNA
MOUNT



YY 3225

N MALE SOLDER PANEL



YY 3204

TNC MALE TO RCA MALE



YY 3211

TNC FEMALE TO DOUBLE
TNC MALE



YY 3218

RIGHTANGLE TNC MALE TO
TNC FEMALE



YY 3226

N FEMALE CRIMP TYPE
A)RG58/U
B)RG59/U



YY 3205

TNC MALE TO RCA FEMALE



YY 3212

TNC MALE TO BNC FEMALE



YY 3219

N MALE CLAMP TYPE
A)RG58/U
B)RG59/U



YY 3227

N FEMALE BULKHEAD CRIMP
TYPE
A)RG58/U
B)RG59/U



YY 3206

TNC MALE TO UHF FEMALE



YY 3213

THREE TNC FEMALE



YY 3220

TNC MALE CRIMP
A)RG58/U
B)RG59/U
C)RG6/U
D)174/U



YY 3228

N FEMALE PANEL RECEPTACLE
A)RG58/U
B)RG59/U



F/BNC/UHF/TNC/N/RF SERIES



YY 3229

N FEMALE CLAMP TYPE

A)RG58/U
B)RG59/U
C)RG6/U



YY 3237

N MALE TO BNC FEMALE



YY 3244

N DOUBLE FEMALE CHASSIS



YY 3251

N MALE TO DOUBLE N FEMALE



YY 3230

N FEMALE BULKHEAD CLAMP TYPE

A)RG58/U
B)RG59/U



YY 3238

N MALE TO F FEMALE



YY 3245

N FEMALE TO TNC FEMALE



YY 3252

N THREE FEMALE



YY 3231

N FEMALE CLAMP PANEL RECEPTACLE

A)RG58/U
B)RG59/U
C)RG6/U



YY 3239

N MALE TO RCA FEMALE



YY 3246

N FEMALE TO UHF FEMALE



YY 3253

N FEMALE TO DOUBLE N MALE



YY 3233

N FEMALE BULKHEAD RECEPTACLE



YY 3240

N MALE TO TNC MALE



YY 3247

N DOUBLE FEMALE BULKHEAD



YY 3254

N THREE MALE



YY 3234

N MALE TO N MALE



YY 3241

N MALE TO TNC FEMALE



YY 3248

RIGHTANGLE N DOUBLE MALE



YY 3255

N MALE TERMINATOR

A)50OHM
B)75OHM
C)93OHM



YY 3235

N MALE TO N FEMALE



YY 3242

N MALE TO UHF MALE



YY 3249

RIGHTANGLE N MALE TO N FEMALE



YY 3256

N FEMALE TERMINATOR

A)50OHM
B)75OHM
C)93OHM



YY 3236

N FEMALE TO N FEMALE



YY 3243

N MALE TO UHF FEMALE



YY 3250

RIGHTANGLE N DOUBLE FEMALE



YY 3257

SMA FEMALE CRIMP TYPE





F/BNC/UHF/TNC/N/RF SERIES

YY 3258

SMA MALE CRIMP TYPE



YY 3265

SMA DOUBLE FEMALE
SMA-50KK



YY 3272

SMA MALE TO N FEMALE



YY 3279

SMA FEMALE TO MINI UHF MALE



YY 3259

RIGHTANGLE SMA MALE CRIMP
TYPE



YY 3266

SMA DOUBLE FEMALE
BULKHEAD
SMA-50KKY



YY 3273

SMA MALE TO TNC MALE



YY 3280

SMA FEMALE TO
MINI UHF FEMALE



YY 3260

SMA MALE BULKHEAD



YY 3267

SMA MALE TO BNC MALE



YY 3274

SMA MALE TO TNC FEMALE



YY 3281

SMA FEMALE TO N MALE



YY 3260-1

SMA MALE CHASSIS MOUNT
SMA-KWYY1



YY 3268

SMA MALE TO BNC FEMALE



YY 3275

SMA MALE TO UHF MALE



YY 3282

SMA FEMALE TO N FEMALE



YY 3262

SMA FEMALE BULKHEAD



YY 3269

SMA MALE TO MINI UHF MALE



YY 3276

SMA MALE TO UHF FEMALE



YY 3283

SMA FEMALE TO TNC MALE



YY 3263

SMA FEMALE CHASSIS
MOUNT
SMA-50KF-3-2.5



YY 3270

SMA MALE TO MINI UHF
FEMALE



YY 3277

SMA FEMALE TO BNC MALE



YY 3284

SMA FEMALE TO TNC FEMALE



YY 3264

SMA DOUBLE MALE
SMA-50JJ



YY 3271

SMA MALE TO N MALE



YY 3278

SMA FEMALE TO BNC FEMALE



YY 3285

SMA FEMALE TO UHF MALE



F/BNC/UHF/TNC/N/RF SERIES



YY 3286

SMA FEMALE TO UHF MALE



YY 3293

F QUICK MALE



YY 3300

RIGHT ANGLE F MALE



YY 3307

FEMALE CRIMP

A: RG59/U

B: RG6/U



YY 3287

RIGHT ANGLE SMA MALE
TO SMA FEMALE
SMA-50JKW



YY 3294

PAL MALE



YY 3301

RIGHT ANGLE F QUICK MALE



YY 3308

RCA DOUBLE FEMALE



YY 3288

SMA MALE TO DOUBLE
SMA FEMALE
SMA-50KJK



YY 3295

PAL FEMALE



YY 3302

RIGHT ANGLE PAL MALE



YY 3309

FME FEMALE CRIMP

A) RG58/U

B) RG59/U

C) RG174/U



YY 3289

SMA THREE FEMALE



YY 3296

RCA PLUG



YY 3303

RIGHT ANGLE PAL FEMALE



YY 3319

F FEMALE WITH BLACK PLASTIC

A: WITH WASHER & NUT

B: WITHOUT WASHER & NUT



YY 3290

BNC MALE



YY 3297

UHF MALE



YY 3304

RIGHT ANGLE RCA PLUG



YY 3320

F DOUBLE FEMALE



YY 3291

BNC FEMALE



YY 3298

RIGHT ANGLE BNC MALE



YY 3305

RIGHT ANGLE UHF MALE



YY 3321

F MALE TIN



YY 3292

F MALE



YY 3299

RIGHT ANGLE BNC FEMALE



YY 3306

FME DOUBLE FEMALE



YY 3322

F MALE ATTACHED

RING FR CATV+O RING

(B)RG-59U

(C)RG-6U

(SC)+DILICON





F/BNC/UHF/TNC/N/RF SERIES

YY 3323
F FEMALE



YY 3330
F CONNECTOR WITH BLACK COLLOIDAL COVER



YY 3337
F FEMALE TO PIN TYPE CONNECTOR



YY 3750
F male connector



YY 3324
F DOUBLE FEMALE



YY 3331
F CONNECTOR WITH YELLOW COLLOIDAL COVER



YY 3338
F MALE



YY 3751
F male compression connector waterproof



YY 3325
F MALE WITH PRING



YY 3332
F CONNECTOR WITH INSULATOR & PIN



YY 3339
F MALE



YY 3752
F male connector



YY 3326
F MALE TO F MALE



YY 3333
F CONNECTOR WITH RING



YY 3340
BNC CONNECTOR



YY 3753
F male connector with blue colloidal ring



YY 3327
F MALE TO F FEMALE
(A) 6dB
(B) 10dB



YY 3334
F CONNECTOR WITH BLUE COLLOIDAL COVER



YY 3341
BNC CONNECTOR



YY 3754
Locking terminator coppery



YY 3328
F DOUBLE FEMALE
USED BY QUICK CONNECTION



YY 3335
F ME DOUBLE FEMALE



YY 3342



YY 3755



YY 3329
F CONNECTOR WITH BLACK COLLOIDAL COVER



YY 3336
RIGHT ANGLE PAL MALE TO F FEMALE



YY 3343



F/BNC/UHF/TNC/N/RF SERIES



YY 3501

SMA-J2 SMA-75J2
SMA-J3 SMA-75J3
SMA-J4 SMA-75J4
SMA-J5 SMA-J12



YY 3525

SMA-50JJW



YY 3533

SMA-KYY23



YY 3546

SMA-JYY1 L:17.8
SMA-JYY2 L:18.6
SMA-JYY3 L:20.2
SMA-JYY4 L:19.4



YY 3502

SMA-JW2 SMA-75JEW2
SMA-JW3 SMA-75JEW3
SMA-JW4 SMA-75JW4
SMA-JW5 SMA-JW12



YY 3527

SMA-50KKW



YY 3534

SMA-KYY-11



YY 3547

SMA-JYY6



YY 3503

SMA-K2 SMA-75K2
SMA-K3 SMA-75K3
SMA-K4 SMA-75K4
SMA-K5 SMA-K12



YY 3528

SMA-KYY1 L:12
SMA-KYY2 L:17.5



YY 3535

SMA-KYY-13



YY 3548

SMA-JYY7 L:18.6
SMA-JYY8 L:19.4



YY 3518

SMA-50JK



YY 3529

SMA-KYY3 L:27.4
SMA-KYY21 L:15.5



YY 3540

SMA-KYY-3



YY 3549

SMA-JYY12 L:23.3
SMA-JYY-4 L:19.8



YY 3520

SMA-50KKF



YY 3530

SMA-KYY6 L:20.5
SMA-KYY22 L:27.4
SMA-KYY-10 L:15.5
SMA-KYY-4 L:16.5



YY 3541

SMA-KYY24



YY 3550

SMA-JYY L:18.1
SMA-JYY-9 L:16.5
SMA-JYY-5 L:17.5



YY 3522

SMA-G-JK
(DETECTION HEAD)



YY 3531

SMA-KYY10 L:15.3
SMA-KYY12 L:16.1
SMA-KYY-12 L:14.7



YY 3542

SMA-KYY-1



YY 3552

SMA-JYY-1



YY 3523

SMA-50KKY-1



YY 3532

SMA-KYY8



YY 3545

SMA-KYY L:14.5
SMA-KYY-5 L:13.9
SMA-KYY-9 L:14.9



YY 3553

SMA-JYY-3-2.5





F/BNC/UHF/TNC/N/RF SERIES

YY 3555
SMA-50KF



YY 3563
SMA-KE1 3.94 ± 0.25
SMA-KE2 3.18 ± 0.25
SMA-KE3 2.36 ± 0.25



YY 3556
SMA-50KF-1



YY 3564
YY 3564-KWE1 3.94 ± 0.25
YY 3564-KWE2 3.18 ± 0.25
YY 3564-KWE3 2.36 ± 0.25



YY 3557
SMA-50KY



YY 3558
SMA-50KY-1



YY 3559
SMA-50KY-1-1



YY 3561
SMA-KYY40



YY 3562
SMA-KYD2



ANTENNA SERIES




YY 8004



LENGTH CLOSED: 250MM
LENGTH OPEN: 1000MM
DIAMETER: 7MM
NO.OF ELEMENTS: 5

YY 8004-1



LENGTH CLOSED: 250MM
LENGTH OPEN: 1000MM
DIAMETER: 6MM
NO.OF ELEMENTS: 5

YY 8006



LENGTH CLOSED: 250MM
LENGTH OPEN: 760MM
DIAMETER: 7MM
NO.OF ELEMENTS: 4

YY 8007



LENGTH CLOSED: 250MM
LENGTH OPEN: 800MM
DIAMETER: 6MM
NO.OF ELEMENTS: 4

YY 8417



LENGTH CLOSED: 250MM
LENGTH OPEN: 1000MM
DIAMETER: 7MM
NO.OF ELEMENTS: 5

YY 8418



LENGTH CLOSED: 200MM
LENGTH OPEN: 1000MM
DIAMETER: 8MM
NO.OF ELEMENTS: 7



YY 8008



YY 8009



YY 8010



YY 8011



YY 8011-1



YY 8012



YY 8013



YY 8014



YY 8016 CE



YY 8017 CE



ANTENNA SERIES



YY 8018



YY 8020 



YY 8021



YY 8022



YY 8023
 



YY 8024




YY 8025
 



YY 8428



YY 8429



YY 8432



YY 8433



YY 8437



YY 8439



YY 8441



YY 8443



YY 8443-1



YY 8443-2



YY 8443-3



YY-AA06002
CAR ANTENNA

HEAT SHRINKING SERIES



STANDARD COLORS

BLACK, RED, BLUE, WHITE, YELLOW, GREEN (OTHER COLORS AVAILABLE ON REQUEST)

性能指示:PROPERTY

径向收缩率:radial shrinking rate 105°C, 3min.radial shrinking rate $\geq 50\%$

轴向收缩率:latitudinal shrinking rate 105°C, 3min.latitudinal shrinking rate $\geq 50\%$

拉伸强度:drawing in tensiity 508mm/min, $\geq 80\text{Mpa}$.

断裂伸长率:stretched-out rate of rupture. 508mm/min, $\epsilon \geq 80\text{Mpa}$.

老化后拉伸强度:latitudinal shrinking rate after aging.

老化后断裂伸长率:stretched-out rate of rupture after aging.

吸水性:absorb water 去离子水:wipe off ion water 24h.

吸水率:absorb water rate $\leq 0.3\%$

体积电阻率:resistance rate of measwrement 500VPC,1min,PV $>110^{14}\frac{1}{2},\text{cm}$.

耐电压:Max Voltage 2500Vac,60s,无击穿

阻燃性:flame-retardant 火焰高度 100-125mm,蓝色内焰 38mm,引燃 15s,5次,

flame height 100-125mm,blue inner flame 38mm,emblazing 15s,5 tims.

每次残焰时间 $\leq 60\text{s}$,指示旗不烧毁, 烧焦面积 $\leq 25\%$

burnt time $\leq 60\text{s}$,show flag donot, burn area $\leq 25\%$

UL CERTIFICATE:

Underwriters

Laboratories Inc.

RE: Porject number(s)-03CA13096

Your most recent certification is shown below. You may also view this information, or a portion of this information (depending on the product category), on UL's online certifications Directory at www.ul.com/database. Please review the text and contact the Conformity Assessment Services staff member who handled your project if revisions are required. For instructions on placing an order for this information in a 3x5-inch format, you may refer to the enclosed order form UL cald service.

YDPU8

Sptember 9, 2003

Tubing, Extruded Insulating Certified for Canada-Component

E238348

Cat. No.	Max V	Max Oper Temp	Shinkdown Class	Col Recognized	Max Temp Rated Oil Resistance*	VW-1 Rated#
Flexible polyolefin Series DNLI A/B	600	125	II	All except CL	C -	Yes

Tubing is considered to comply with the optional oil requirements only if it is so marked.

#Tubing is considered to comply with the optional VW-1 flammability requirements only if it is so marked.

Marking: Company name, "E238348", catalog designation jor equivalent temperature rating in degrees C and Recognized Component Mark for Canada, on tags attached to both ends of the tubing or on the shipping spool label or smallest unit containe r.

See general information preceding these recognitions

For use only in equipment where the acceptability of the combination is by underwriters laboratories inc.



HEAT SHRINKING SERIES

尺寸 size(mm)	收缩前尺寸 As supplied(mm)		收缩后尺寸 After supplied(mm)		适用范围 The range of diameter(mm)
	内径 I.D	壁厚 W.T	内径 I.D	壁厚 W.T	
Φ 1.0/0.50	1.50 ± 0.30	0.15 ± 0.03	0.55	0.30 ± 0.03	0.50-0.90
Φ 1.5/0.75	2.00 ± 0.30	0.15 ± 0.03	0.75	0.33 ± 0.03	0.75-1.40
Φ 2.0/1.00	2.50 ± 0.30	0.17 ± 0.03	0.90	0.35 ± 0.03	1.00-1.80
Φ 2.4/1.20	2.50 ± 0.30	0.22 ± 0.03	1.20	0.45 ± 0.05	1.20-2.30
Φ 2.5/1.25	3.00 ± 0.30	0.20 ± 0.03	1.25	0.45 ± 0.05	1.25-2.30
Φ 3.0/1.50	3.50 ± 0.30	0.20 ± 0.05	1.50	0.45 ± 0.05	1.50-2.70
Φ 3.2/1.60	3.30 ± 0.30	0.22 ± 0.05	1.60	0.45 ± 0.05	1.60-3.10
Φ 3.5/1.75	4.00 ± 0.30	0.22 ± 0.05	1.75	0.45 ± 0.05	1.75-3.20
Φ 4.0/2.00	4.50 ± 0.30	0.22 ± 0.05	2.00	0.45 ± 0.05	2.00-3.60
Φ 4.8/2.40	4.90 ± 0.30	0.25 ± 0.05	2.40	0.50 ± 0.05	2.40-4.70
Φ 5.0/2.50	5.50 ± 0.30	0.25 ± 0.05	2.50	0.50 ± 0.05	2.50-4.50
Φ 6.0/3.00	6.50 ± 0.30	0.25 ± 0.05	3.00	0.50 ± 0.05	3.00-5.40
Φ 6.3/3.15	6.40 ± 0.30	0.25 ± 0.05	3.15	0.50 ± 0.05	3.10-6.20
Φ 7.0/3.50	7.50 ± 0.30	0.25 ± 0.05	3.50	0.50 ± 0.05	3.50-6.30
Φ 8.0/4.00	8.50 ± 0.30	0.25 ± 0.05	4.00	0.55 ± 0.05	4.00-7.20
Φ 9.0/4.50	9.50 ± 0.30	0.25 ± 0.05	4.50	0.55 ± 0.07	4.50-8.00
Φ 10/5.00	10.5 ± 0.50	0.25 ± 0.05	5.00	0.55 ± 0.07	5.00-9.00
Φ 11/5.50	11.5 ± 0.50	0.27 ± 0.07	5.50	0.55 ± 0.07	5.50-10.0
Φ 12/6.00	12.5 ± 0.50	0.27 ± 0.07	6.00	0.55 ± 0.07	6.00-11.0
Φ 13/6.50	13.5 ± 0.50	0.30 ± 0.07	6.65	0.60 ± 0.07	6.50-12.0
Φ 14/7.00	14.4 ± 0.50	0.30 ± 0.07	7.00	0.60 ± 0.07	7.00-13.0
Φ 15/7.50	15.5 ± 0.60	0.30 ± 0.07	7.75	0.60 ± 0.07	7.50-14.0
Φ 16/8.00	16.5 ± 0.60	0.30 ± 0.07	8.00	0.60 ± 0.07	8.00-15.0
Φ 17/8.50	17.5 ± 0.60	0.35 ± 0.10	8.50	0.70 ± 0.07	10
Φ 18/9.00	19.0 ± 0.60	0.30 ± 0.10	9.00	0.70 ± 0.07	9.00-17.0
Φ 19/9.50	19.5 ± 0.60	0.40 ± 0.10	9.50	0.80 ± 0.10	9.50-18.0
Φ 20/10.0	21.0 ± 0.60	0.35 ± 0.10	10.0	0.80 ± 0.10	10.0-19.0
Φ 22/11.0	23.0 ± 0.70	0.40 ± 0.10	11.0	0.80 ± 0.10	11.0-21.0
Φ 25/12.5	26.0 ± 0.70	0.40 ± 0.10	12.5	0.85 ± 0.10	12.5-24.0
Φ 28/14.0	29.5 ± 0.70	0.40 ± 0.10	14.0	0.85 ± 0.10	14.0-27.0
Φ 30/15.0	31.5 ± 0.70	0.45 ± 0.15	15.0	0.90 ± 0.10	15.0-29.0
Φ 35/17.5	38.0 ± 0.70	0.45 ± 0.15	17.5	1.00 ± 0.15	17.5-34.0
Φ 40/20.0	40.5 ± 0.70	0.50 ± 0.15	20.0	1.00 ± 0.15	20.0-39.0
Φ 50/25.0	50.5 ± 0.70	0.50 ± 0.15	25.0	1.00 ± 0.15	25.0-49.0
Φ 60/30.0	60.5 ± 0.70	0.50 ± 0.15	30.0	1.00 ± 0.15	30.0-55.0
Φ 70/35.0	70.5 ± 0.70	0.50 ± 0.15	35.0	1.00 ± 0.15	35.0-65.0
Φ 80/40.0	80.4 ± 0.70	0.55 ± 0.15	40.0	1.10 ± 0.15	40.0-75.0
Φ 90/45.0	91.5 ± 0.80	0.55 ± 0.15	45.0	1.10 ± 0.15	45.0-85.0
Φ 100/50.0	101.0 ± 0.80	0.55 ± 0.15	50.0	1.20 ± 0.15	50.0-95.0
Φ 120/60.0	121.0 ± 0.80	0.60 ± 0.15	60.0	1.20 ± 0.15	60.0-115
Φ 150/75.0	151.0 ± 0.80	0.60 ± 0.15	75.0	1.20 ± 0.15	75.0-145

INSULATING TAPS & RUBBERIZED FABRICS



YY-T001

PVC INSULATION TAPE

15 colors: yellow, white, black, clear, red, orange, dark blue, light blue, gray, purple, dark brown, medium brown, dark green, and light green and yellow for major insulation of all wire and cable connections of electric currents under 600V

For repairing the cover of high voltage cable connections.
For wrapping wires and cables.

For both interior and exterior use.

For markings of insulation of wires and cables under 600V

Electric function

Applicable temperatures: 0-80°C

Insulation of electric resistance: >1012ohm

Mechanical function

The largest elasticity: 150%

Breaking strength: 14lbs/in

Adhesive iron 18oz/in

Beltinq base 18oz/in

ASTM D-1000 Testing methods

YY-T002

CLOTH TAPE

16 colors available: silver(gray), black, white, yellow, school bus yellow, light blue, dark blue, pink, red, burgundy, racing orange, tan(beige), dark brown, light green, dark green, and olive drab, 27 mesh, 35 mesh, 50 mesh, 70 mesh for High quality Polyethylene-coated cloth with a natural rubber resin adhesive. Tape will conform well to irregular surfaces, and will not twist or curl during application. Excellent water and abrasion resistance. Tape is hard-tearable (tears evenly across web.) Used as a quality waterproof packaging tape for export shipments; for splicing, vinyl repair, protecting, and bundling; for ductwork sealing and seaming; and for color coding. Adhesion to steel: 59oz/in width. Tensile strength: 20lbs/in. Elongation at break: 15%. Temperature range: 32F to 150F. A flexible polythene coated woven cloth tape, coated with hotmelt adhesive. The cloth backing is strong but exhibits easy tear properties. An extremely versatile tape for a multitude of uses. Can be used for duct sealing, colour coding, general splicing, packaging, patching and repairing.





INSULATING TAPS & RUBBERIZED FABRICS



YY-T003

ALUMINUM FOIL TAPES

800 General Purpose 1.5mil Aluminum foil tape(with liner)Designed for non-critical applications such as sealing out dust and moisture,masking,and duct sealing.Due to the dead soft nature of this foil,it can be used on irregular and curved surfaces.805 3Mil Aluminum foil Tape L-T-80B,Mil-T23397B Amdt.2 Type 11 Designed to stick firmly to its own backing and has the ability to adhere to a wide variety of surfaces.Can be applied at low temperatures and has good high and low temperature resistance.For use in heat reflection/dissipation.Offers reliable properties for masking in paint stripping and electroplating applications.807 2 Mil Aluminum Foil Tape Designed for non-critical applications such as sealing out dust and moisture,masking and duct sealing.Can also be used for heat reflection.817 Heavy Duty 5 Mil Aluminum Foil Tape Designed to stick firmly to its own backing.Offers a Thicker gauge foil than #805.An excellent product for heat reflection.

YY-T004

KRAFT TAPE

Kraft tape uses kraft paper as the backing coated with hot melt or natural rubber press sensitive adhesive.As its high tack and wide range temperature resistance,kraft tape is widely used in carton sealing,mending and connecting ets.

Backing:kraft paper

Thickness(mm):0.14

Tensile strength(Mpa):40

Adhesion(N/25mm):10

Cohesion(hour):6



YY-T005

SELF BONDING RUBBER TAPE

The self-bonding rubber tape is designed forinsulating and protecting joints and terminations of rubber andplastic cables operating at the voltage of 1-35KV,and also for insulating and sealing joints of telecommunication cables with the normal working temperature up to 80-90°C .

SOLDERING MATERIALS SERIES




100G



200G



250G



300G



500G



1000G



14-17G



25-30G



LAMPS SERIES

YY-ZH001

MR16
Base:GU5.3
12V AC/DC
LED:9/12/15/18/20PCS
Size:Φ 50 x 47mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.02CBM/6.8KGS



YY-ZH005

MR16
Base:GU5.3
12V AC/DC
LED:1W/3W,high power
Size:Φ 50 x 52mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.025CBM/7.2KGS



YY-ZH002

Base:GU10
AC 110V/230V
LED:9/12/15/18/20PCS
Size:Φ 50 x 56mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.025CBM/7.8KGS



YY-ZH006

MR16
Base:GU5.3
12V AC/DC
LED:1W/3W,high power
Size:Φ 50 x 56mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.025CBM/7.2KGS



YY-ZH003

Base:GU10
AC 110V/230V
LED:40/50/60PCS
Size:Φ 50 x 62mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.027CBM/8.2KGS



YY-ZH007

GZ10
AC 110V/230V
LED:1W/3W,high power
Size:Φ 50 x 56mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.025CBM/7.8KGS



YY-ZH004

JDR
Base:E14/E27
AC 110V/230V
LED:9/12/15/18/20PCS
Size:Φ 50 x 72mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.03CBM/8.7KGS



YY-ZH008

GZ10
AC 110V/230V
LED:1W/3W,high power
Size:Φ 50 x 56mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.025CBM/7.8KGS



LAMPS SERIES



YY-ZH009

GZ10
AC 110V/230V
LED:3/5W,high power
Size: Φ 50 x 63mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.027CBM/8.0KGS



YY-ZH013

PAR20
Base:E27/B22
AC 110V/230V
LED:25/35/40PCS
Size: Φ 63 x 82mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:72PCS/0.038CBM/11KGS



YY-ZH010

JDR
Base:E14/E27
AC 110V/230V
LED:1W/3W,high power
Size: Φ 50 x 56mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.025CBM/7.8KGS



YY-ZH014

PAR30
Base:E27/B22
AC 110V/230V
LED:40/50/60PCS
Size: Φ 95 x 90mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:48PCS/0.057CBM/12KGS



YY-ZH011

HR
Base:E27
AC 110V/230V
LED:1W/3W,high power
Size: Φ 50 x 56mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.025CBM/7.8KGS



YY-ZH015

PAR38
Base:E27/B22
AC 110V/230V
LED:50/60/70/80PCS
Size: Φ 123 x 135mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:24PCS/0.066CBM/11KGS



YY-ZH012

PAR30
Base:E27
AC 110V/230V
LED:7 x 1W,high power
Size: Φ 95 x 82mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:24PCS/0.038CBM/9.0KGS



YY-ZH016

Base:E27/B22
AC 110V/230V
LED:30/45/60/75/90PCS
Size: Φ 110 x 150mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:12PCS/0.033CBM/6.0KGS





LAMPS SERIES

YY-ZH017

MR16
Base:GU5.3
12V AC/DC
51 LED
Size:Φ 50 x 47mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.02CBM/6.8KGS



YY-ZH021

Base:E27/E14
AC:110/230V
LED:12/15/20PCS
Size:Φ 44.5 x 120mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.035CBM/7KGS



YY-ZH018

JDR
Base:E27
AC 110V/230V
50 LED
Size:Φ 50 x 72mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.03CBM/8.7KGS



YY-ZH022

Base:E27/E14
AC 110V/230V
LED:1 x 5W
Size:Φ 60 x 120mm, Φ 80 x 120mm, Φ 95 x 120mm
LED:12/15/20PCS,12/15/20/30/36PCS,12/15/20/30/36/48PCS
Color:cool white,warm white,red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing: 100PCS/0.039CBM/8KGS
100PCS/0.042CBM/10KGS
100PCS/0.052CBM/12KGS



YY-ZH019

PAR38
Base:E27/B22
AC 110V/230V
LED:12 x 1W
Size:Φ 123 x 135mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:24PCS/0.066CBM/11KGS



YY-ZH023

Base:E27
AC:110/230V
60 LED
Size:Φ 68 x 115mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:24PCS/0.066CBM/11KGS



YY-ZH020

Base:GU10/E27/MR16
AC 110V/230V(GU10 and E27),12V AC/DC(MR16)
LED:1 x 5W
Size: Φ 50 x 59.5(GU10)mm
Φ 50 x 73(E27)mm
Φ 50 x 51(MR16)mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing:100PCS/0.03CBM/8.7KGS



YY-ZH024

Base:E27/E14
AC:110/230V
LED:12/15/20PCS,12/15/20/30/48/60PCS
Size:Φ 44.5 x 64mm, Φ 80 x 90mm
Color:cool white,warm white,
red,yellow,blue,green
No UV or IR radiation
CE & RoHS
Packing: 100PCS/0.03CBM/8.7KGS
48PCS/0.057CBM/12KGS



LAMPS SERIES



YY-ZH025

Base:E27/E14
AC:110/230V
LED:3W/5W
Color:White/ Warm white



YY-ZH031

Base:E27/E14/GU10/MR16
AC:110/230V
LED:1W/3W
Color:White/ Warm white



YY-ZH026

Base:E27/E14
AC:110/230V
LED:3W/5W
Color:White/ Warm white



YY-ZH032

AC:110/230V
LED:1W
Color:White/ Warm white



YY-ZH027

Base:E27/E14
AC:110/230V
LED:3W/5W
Color:White/ Warm white



YY-ZH033

AC:110/230V
LED:3 x 1W
Color:White/ Warm white



YY-ZH028

Base:E27/E14
AC:110/230V
LED:5 x 1W
Color:White/ Warm white



YY-ZH034

AC:110/230V
LED:5 x 1W
Color:White/ Warm white



YY-ZH029

Base:E27/E14/GU10/MR16
AC:110/230V
LED:1W/3W
Color:White/ Warm white



YY-ZH035

Base:E27/E14/GU10/MR16
AC:110/230V
LED:2.5W



YY-ZH030

Base:E27/E14/GU10/MR16
AC:110/230V
LED:1W/3W
Color:White/ Warm white



YY-ZH036

Base:E27/E14/GU10/MR16
AC:110/230V
LED:2.5W

